

GRABBER®
Construction Products



CORNERS AND TRIMS

PRODUCT GUIDE

www.grabberpro.com



TABLE OF CONTENTS

NO-COAT®STICKS	8	Aquabead®Outside 90 Roller	20
No-Coat®Inside 90	8	Aquabead®Bullnose Roller	20
No-Coat®Outside 90	8		
No-Coat®1/2" L-Trim	8	DRYWALL TAPE	21
No-Coat®5/8" L-Trim	9	Spark Perforated Drywall Tape	8%
No-Coat®3/8" Bullnose	9	Professional Self Adhesive Fiberglass Drywall Tape	8%
No-Coat®3/4" Bullnose	9		
NO-COAT®FLEXIBLE CORNERS	10		
Flexible Corner 325	10		
Flexible Corner 450	10		
NO-COAT®ARCH	11		
No-Coat®Arch 3/4" Bullnose	11		
No-Coat®Arch Outside 90	11		
NO-COAT®PRO CORNER	12		
Flexible Corner 325	12		
NO-COAT®PRO MACHINE	12		
NO-COAT®PRO AUTOMATED CORNERS	13		
AQUABEAD®CORNERS	14		
Aquabead®Outside 90	14		
Aquabead®1/2" L-Trim	14		
Aquabead®5/8" L-Trim	14		
Aquabead®Bullnose	15		
Aquabead®Trim	15		
LEVELLINE®FLEXIBLE CORNER	16		
Levelline®Flexible Corner	16		
Levelline®Outside 90 Stick	16		
CORNER APPLICATION MATRIX	17		
DOUBLE BARREL HOPPER®	18		
ROLLERS	19		
No-Coat®Outside 90 Roller	19		
No-Coat®Bullnose Roller	19		
No-Coat®Inside 90 Roller	19		
No-Coat®One-Sided Roller	19		
No-Coat®Pro Roller	20		

ABOUT GRABBER

As a leading distributor of quality products built for hardworking construction professionals, Grabber® Construction Products are 100% reliable and durable – because we don't believe in slowing you down with cut-rate tools. For more than 55 years, each Grabber product has been manufactured with our high standards of quality, efficiency, and value.

Grabber fasteners are known as the best in the industry and can be trusted for a variety of wood, metal, and drywall applications. You'll also find the Grabber level of excellence in other product lines for the commercial and residential construction industries, including proprietary construction equipment, Corners and Trims, drywall tools and materials, power drives, adhesives, and accessories. Get the job done faster and better with Grabber. Find products at your local dealer or contact one of our reps to find a dealer near you.





EASY-TO-APPLY, HIGH PERFORMANCE, DRYWALL CORNER SOLUTIONS.

CertainTeed's line of structural laminate corners — combined with water-activated corners and automation technologies — save money on call backs and are more aesthetically appealing over the long-term than conventional metal, paper faced metal, or vinyl beads. The durability and installation efficiency of these products make them ideal for both residential and commercial building applications.

The NO-COAT logo features the brand name in a bold, black, sans-serif font. It is enclosed within a blue-bordered shield-like shape that has a slight 3D effect with a darker blue shadow on the right side.

NO-COAT®

The AquaBead logo consists of the brand name in a red, italicized, sans-serif font. A registered trademark symbol (®) is located at the top right of the word.

AquaBead®

The LEVELLINE logo is rendered in a bold, black, sans-serif font. The letters 'L' and 'I' are stylized with vertical lines passing through them, creating a sense of height and structure.

LEVELLINE®

The NO-COAT® Structural Laminate (SLAM®) design represents a drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

Water-activated AquaBead® offers fast, easy installation and outstanding performance, every time. Perforations allow compound to adhere to the drywall surface.

LEVELLINE® flexible rolls are ideal for off-angle and both short and long runs. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

Video Testimonial



Testimonio en Video





CERTAINTED CORNERS INTEGRATE TECHNOLOGY AND MATERIALS THAT OUTPERFORM ALL OTHERS.

The NO-COAT® Structural Laminate (SLAM®) design represents a revolutionary drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

SLAM TECHNOLOGY – A BREAKTHROUGH IN DRYWALL CORNER FINISHING

NO-COAT corners incorporate a tapered structural laminate design that consists of three key components:

1. Tapered copolymer core capable of withstanding severe impacts.
2. Joint tape that permanently bonds the corner to drywall with Taping or All-Purpose joint compound.
3. Formulated surface paper that eliminates cracks, chips and peels. Accepts any finish, resists abrasion.

NO-COAT SAVES LABOR

Rolls and pre-cut lengths allow for fast application, significantly reducing installation time.

A RADICAL DEPARTURE FROM CORNER BEAD

For more than 80 years, drywall contractors have reached for corner bead because it has been the only option available – not because it's the best product. Improvements such as plastic or paper faced metal are still based on a flawed bead design that create more problems than they solve. Beads are notorious in the industry for causing costly callbacks from denting, chipping, rusting, cracking and peeling. In addition, beads require excessive mud application that costs contractors time and money.

AN INNOVATIVE SOLUTION

NO-COAT structural laminate corners abandon corner bead design entirely. Instead, the SLAM design integrates new technologies and materials like dimensionally extruded copolymer plastic and formulated saturated paper. The result is a corner system that outperforms all others in the market.

Made With
SLAM
TECHNOLOGY.

SLAM TECHNOLOGY INTEGRATES THREE KEY COMPONENTS PROVIDING THE DURABILITY, FLEXIBILITY, AND STRENGTH THAT WON'T CRACK UNDER PRESSURE.

TAPERED HIGH STRENGTH COPOLYMER CORE
with stands severe impacts.
Won't rust. Requires less mud.


1.

3.

FORMULATED SURFACE PAPER
eliminates cracks, chips and peels, resists abrasion, and accepts any finish.

2.

JOINT TAPE
permanently bonds corner to drywall with All Purpose mud.





THE NO-COAT® DRYWALL CORNER SYSTEM

FLEXIBLE CORNERS

These flexible roll products are ideal for off-angle applications, both short and long runs, long columns and soffits. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

FLEXIBLE CORNER 325

FLEXIBLE CORNER 450

STICKS

Pre-cut stick lengths withstand severe impacts, settling and seismic movements without cracking, denting, chipping or peeling. Easy to install lengths deliver perfect corners in record time.

INSIDE 90

OUTSIDE 90

L-TRIM - 1/2", 5/8"

BULLNOSE - 3/8", 3/4"

ARCH

ARCH tape-on arches have notched flanges that flex and conform to any arch. Stiff profile fine-tunes poor framing and creates a perfectly smooth, round curve.

BULLNOSE 3/4"



OUTSIDE 90

TOOLS

Rollers and applicators allow for high speed installations and flawless results.

ROLLERS - Inside and Outside 90, Bullnose, and One-Sided (L-Trim)

DOUBLE BARREL HOPPER® - Install off-angles, inside and outside 90s or bullnose, in record time.



NO-COAT®STICKS

NO-COAT®mud applied, easy-to-install stick lengths deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations.



NO-COAT®INSIDE 90



DESCRIPTION

NO-COAT INSIDE 90 corners make joint tape a thing of the past. Use the CertainTeed DOUBLE BARREL HOPPER and an INSIDE 90 Roller to ensure high speed installs and the best results.

APPLICATIONS


- 90° inside corners

FEATURES/BENEFITS


- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM® corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', stick lengths (2.4 m, 2.7 m, 3 m). 50 sticks/box. the past. Use the CertainTeed DOUBLE BARREL



NO-COAT®OUTSIDE 90



DESCRIPTION

One of our best selling products, NO-COAT OUTSIDE 90 corners are made with our patented SLAM design. These corners deliver strength, durability, and guaranteed perfect results for all vertical outside corner applications.

APPLICATIONS


- 90° inside corners

FEATURES/BENEFITS

- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM® corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



NO-COAT®1/2" L-TRIM



DESCRIPTION

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS

- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



NO-COAT®STICKS



NO-COAT®5/8" L-TRIM



DESCRIPTION

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS


- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

10' (3 m) lengths Custom lengths available. 50 sticks/box.



NO-COAT®3/8" BULLNOSE



DESCRIPTION

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

APPLICATIONS


- 90° outside corners

FEATURES/BENEFITS


- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



NO-COAT®3/4" BULLNOSE



DESCRIPTION

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

APPLICATIONS


- 90° outside corners

FEATURES/BENEFITS

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



NO-COAT® FLEXIBLE CORNERS

NO-COAT® flex roll products are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.



FLEXIBLE CORNER 325



DESCRIPTION

NO-COAT FLEXIBLE CORNER 325 offers the same durability and strength as FLEXIBLE CORNER 450, with a narrower flange width that makes it ideal for shorter off-angle spans.

APPLICATIONS


- Short runs of less than 10 ft (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

FEATURES/BENEFITS

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

3.25" wide x 100' roll (8.3 cm x 30.5 m) 10 rolls/carton.



FLEXIBLE CORNER 450



DESCRIPTION

The world's #1 flex product has earned the reputation for delivering perfectly straight lines for challenging off-angles and long spans, while withstanding settling, shrinking lumber, seismic movements and temperature variations.

APPLICATIONS


- Long peaks (spans > 10 ft [3 m])
- Vaulted, cathedral, tray ceilings
- Inside/outside corners of any length

FEATURES/BENEFITS

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

.5" wide x 100' roll (11.4 cm x 30.5 m) 4 rolls/carton.



NO-COAT®ARCH

Install perfect archways in minutes without the hassle of glues, staples and extra coats of mud. Arch tape-on arches have notched flanges that flex and conform to any arch, and a stiff profile that fine-tunes poor framing and creates a perfectly smooth, round curve.



NO-COAT®ARCH 3/4" BULLNOSE



DESCRIPTION

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and timeconsuming spraying.

APPLICATIONS


- 90° bullnose archways

FEATURES/BENEFITS


- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- Self-forming, ridgeless design
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

10' (3 m) lengths. Custom lengths available. 10 sticks/box.



NO-COAT®ARCH OUTSIDE 90



DESCRIPTION

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and timeconsuming spraying.

APPLICATIONS


- 90° outside archways

FEATURES/BENEFITS

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

10' (3 m) lengths. Custom lengths available. 10 sticks/box.




NO-COAT®PRO CORNER

NO-COAT PRO CORNER flexible roll product is ideal for production work, long columns and soffits. When used with the NO-COAT PRO machine, production time is dramatically reduced, and waste is virtually eliminated.



FLEXIBLE CORNER 325



DESCRIPTION

NO-COAT PRO offers the same durability and strength as Flexible Corner.

APPLICATIONS


- Outside 90° corners
- Long spans of any angle

FEATURES/BENEFITS

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

3.75" wide x 250' roll (9.5 cm x 76.2 m)



NO-COAT®PRO MACHINE

The NO-COAT PRO machine is the first and only automated system for custom cutting corners of any length or angle. Its lightweight portability makes it easy to move on the jobsite. Used in conjunction with NO-COAT PRO corner, it is simply the fastest and most efficient cornering system available.

DESCRIPTION

The NO-COAT PRO machine uses NO-COAT PRO CORNER to produce ready-to-install corners with joint compound applied, cut to any length.

APPLICATIONS

- Outside 90° corners
- Long spans of any angle

FEATURES/BENEFITS

- Portable size is light-weight and easy to maneuver
- Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll
- Easy-to-use keypad simplifies operation and stores custom measurements
- 5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage



NO-COAT®PRO AUTOMATED CORNERS

The NO-COAT PRO machine uses NO-COAT PRO Corner to produce ready-to-install corners with joint compound applied, cut to any length.



AQUABEAD® CORNERS

Water-activated AquaBead offers fast, easy installation and outstanding performance, every time. An easy-to-apply, self-adhesive drywall corner that won't blister, bubble or edge crack. Perforations allow compound to adhere to the drywall surface.

AquaBead®

AQUABEAD® OUTSIDE 90



DESCRIPTION

AQUABEAD OUTSIDE 90° has a specially engineered beaded nose to create the perfect corner.

APPLICATIONS


- Outside 90° corners

FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks/box.



AQUABEAD® 1/2" L-TRIM



DESCRIPTION

AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

PRODUCT DETAILS

4.5" wide x 100' roll (11.4 cm x 30.5 m)
4 rolls/carton.



AQUABEAD® 5/8" L-TRIM



DESCRIPTION

AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

PRODUCT DETAILS

10' (3 m) lengths. Custom lengths available.
50 sticks/box.



AQUABEAD®CORNERS

AquaBead®

AQUABEAD®BULLNOSE



DESCRIPTION

AQUABEAD BULLNOSE corners allow you to create a more stylish professional looking corner.

APPLICATIONS


- Outside corners

FEATURES/BENEFITS

- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', stick lengths (2.4 m, 2.7 m, 3 m).50 sticks/box.



AQUABEAD®TRIM



DESCRIPTION

AQUABEAD TRIM, with the beadless nose, offers a durable no-mess outside corner in less time.

APPLICATIONS


- 90° outside corners

FEATURES/BENEFITS

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks/box.



LEVELLINE® FLEXIBLE CORNER

LEVELLINE flexible rolls are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

LEVELLINE®

LEVELLINE® FLEXIBLE CORNER



DESCRIPTION

LEVELLINE FLEXIBLE CORNER flexes to any inside or outside corner angle, making finishing fast and easy. Narrower flange width is ideal for shorter off-angle spans.

APPLICATIONS


- Short runs of less than 10' (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

FEATURES/BENEFITS

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing

PRODUCT DETAILS

2.75" wide x 100' roll (7 cm x 30.5 m)
12 rolls/carton.



LEVELLINE® OUTSIDE 90 STICK

LEVELLINE Outside 90 sticks are easy-to-install and deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations and flawless results.

LEVELLINE® OUTSIDE 90



DESCRIPTION

A brand new addition to our Levelline family, Levelline Outside 90 corners are easy to handle and install, better than metal – no memory, less waste, less dents, no rust – creating crisp, straight corners.

APPLICATIONS


- 90° outside corners

FEATURES/BENEFITS

- Pre-cut to standard lengths
- Fast and efficient installs

PRODUCT DETAILS

6" 10', 8', 9', 10', 12' stick lengths (1.8, 2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks/box.



CORNER APPLICATION MATRIX

CertainTeed offers a complete drywall corner system for all profiles and applications. Please refer to the matrix below for recommended applications.

CORNER APPLICATION MATRIX

	Off Angles	Inside Corners	Outside Corners	Archways	Industrial Applications	Large Gaps	Vaults, Soffits	Window Returns, Door Jambs, Drop Ceilings, etc.	Long Spans Over 10' (3 m)	Short Spans Under 10' (3 m)
NO-COAT										
Flexible Corner 325	■	■	■			■	■			■
Flexible Corner 450	■	■	■		■	■	■		■	
Inside 90	■	■								
Outside 90	■		■							
L-Trim – 1/2", 5/8"					■			■		
Bullnose – 3/8", 3/4"			■		■					
Arch – Outside 90 3/4" Bullnose			■	■						
NO-COAT PRO Corner	■	■	■		■	■	■		■	
AQUABEAD										
Outside 90	■		■							
L-Trim – 1/2", 5/8"								■		
Bullnose – 3/4"			■							
Outside 90 Trim	■		■							
LEVELLINE										
Flexible Corner	■	■	■			■	■			■
Outside 90			■							

DOUBLE BARREL HOPPER®

The Double Barrel Hopper is set up for all angles, all the time. Install off-angles, inside and outside 90s or bullnose, in record time. No time-consuming adjustments or extra hardware necessary.

DOUBLE BARREL HOPPER®



DESCRIPTION

CertainTeed has perfected this standard industry tool to accommodate all inside and outside angles without time-consuming part changeovers and reconfiguration.

APPLICATIONS


- NO-COAT inside, outside, and bullnose corners
- Flexible Corner 450 and 325

FEATURES/BENEFITS

- Eliminates part changes or reconfiguration – handles both inside and outside angles
- Ensures a uniform and high-speed installation
- Single piece gates with ergonomic hand knob allow for fast and easy adjustments

PRODUCT DETAILS

- High density polyurethane tank and gate controllers
- Stainless steel reservoir trough and gates



Stainless steel gates accommodate off-angles, inside 90s, bullnose, and outside 90s

ROLLERS

CertainTeed rollers press corners firmly and accurately into place, creating an absolute bond to the drywall. Ensures high speed, accurate installations, and delivers bottom-line savings on labor and mud.



NO-COAT® OUTSIDE 90 ROLLER



APPLICATIONS

- NO-COAT Outside 90 corners

FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

NO-COAT® BULLNOSE ROLLER



APPLICATIONS

- NO-COAT 3/8" and 3/4" BULLNOSE corners

FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

NO-COAT® INSIDE 90 ROLLER



APPLICATIONS

- NO-COAT Inside 90 corners and Flexible 325 off angles

FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

NO-COAT® ONE-SIDED ROLLER



APPLICATIONS

- NO-COAT and AquaBead L-TRIM corners and Flexible off angles

FEATURES/BENEFITS

- Squeezes out excess mud
- Removable hex handle for handheld convenience
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware



ROLLERS

CertainTeed rollers press corners firmly and accurately into place, creating an absolute bond to the drywall. Ensures high speed, accurate installations, and delivers bottom-line savings on labor and mud.



NO-COAT®PRO ROLLER



APPLICATIONS

- NO-COAT PRO Corner


FEATURES/BENEFITS

- Squeezes out excess mud
- Removable hex handle for handheld convenience
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS

- Durable thermoplastic roller wheels
- Stainless steel frame and hardware

AQUABEAD®OUTSIDE 90 ROLLER



APPLICATIONS

- AquaBead Outside 90 corners

FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable.

PRODUCT DETAILS

- Pliable red 90° roller wheels

AQUABEAD®BULLNOSE ROLLER



APPLICATIONS

- AquaBead Bullnose corners

FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable


PRODUCT DETAILS

- Pliable blue roller wheels



DRYWALL TAPE

SPARK PERFORATED DRYWALL TAPE



DESCRIPTION

Grabber Drywall Joint Tape is spark perforated allowing joint compound easy pass-through eliminating air bubbles.

PART NO.	DESCRIPTION
JT250	2" X 250', HIGH TENSILE STRENGTH SPARK PERFORATED PAPER TAPE - 20, 250' ROLLS EACH CASE
JT500	2" X 500', HIGH TENSILE STRENGTH SPARK PERFORATED PAPER TAPE - 10, 500' ROLLS EACH CASE

PROFESSIONAL SELF ADHESIVE FIBERGLASS DRYWALL TAPE



DESCRIPTION

Grabber's Multi-Purpose Self-Adhesive Drywall Mesh Tape is ideal for use in finishing drywall and cement board. Grabber's mesh tape is designed to cover drywall joints, cracks, and holes on smooth, textured, stucco and popcorn finishes. Packaged in 300-foot rolls.


Grabber's self-adhesive fiberglass mesh tape, meets the highest standards for quality. Specially primed adhesive provides additional holding ability, especially in higher heat and humidity environments where other competing products may fail. Customer feedback has shown superior bond ratings versus our competition.

FEATURES/BENEFITS

- Faster to Apply
- More Efficient
- No Shrinking
- No Stapling
- No Pre-pasting
- Easier to Use
- Available in 2-in and 2-1/2-in widths

PART NO.	DESCRIPTION
GMT200B	2" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, BLUE
GMT200Y	2" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, YELLOW
GMT200	2" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, WHITE
GMT250B	2.5" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, BLUE
GMT250Y	2.5" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, YELLOW
GMT250	2.5" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, WHITE

GRABBER BRANCH LOCATIONS



WEST

Grabber L.A.
562.696.5497
8319 Allport Ave
Santa Fe Springs CA 90670

Grabber NorCal
925.687.6606
2241 Carion Court
Pittsburg CA 94565

Grabber Portland
503.467.5001
15031 NE Airport Way
Portland OR 97230

Grabber Salt Lake
801.266.4151
4273 South 590 West
Murray UT 84123

Grabber San Diego
858.292.6022
9466 Chesapeake Drive Ste 702
San Diego CA 92123

CENTRAL

Grabber Cincinnati
513.874.9027
4325 Mulhauser Road Ste 8
Fairfield OH 45014

Grabber Dallas
972.470.9044
10990 Petal Street Ste 400
Dallas TX 75238

Grabber Houston
800.779.6956
16802 Barker Springs Rd Ste 700
Houston TX 77084

Grabber Kansas City
816.931.8816
4131 N Kentucky Avenue
Kansas City MO 64161

Grabber Maumee
419.794.8212
370 W Dussel Drive Ste D
Maumee OH 43537

Grabber Memphis
662.895.9300
6045 E Shelby Drive Ste 1
Memphis TN 38141

NORTHEAST

Grabber DC
301.808.5100
850 B Hampton Park Blvd
Capitol Heights MD 20743

Grabber New England
860.623.3600
120 Newberry Road
East Windsor CT 06088

Grabber Jersey
856.662.2525
1125 Thomas Busch Memorial Hwy
Pennsauken NJ 08110

Grabber Virginia
703.631.8770
7370 Merritt Park Drive, Ste 160
Manassas VA 20109

SOUTHEAST

Grabber Atlanta
770.813.1332
2605 N Berkeley Lake Rd NW
Ste 500
Duluth GA 30096

Grabber Conover
866.615.6245
1136 Industrial Dr SW
Conover NC 28613

Grabber Ft. Myers
239.278.1888
12570 Metro Pkwy Unit 1
Fort Myers FL 33966

Grabber Jacksonville
904.739.2760
1733 Evergreen Ave.
Jacksonville FL 32206

Grabber Orlando
407.297.7278
3714 Silver Star Road
Orlando FL 32808

Grabber Pompano
954.971.4730
1857 SW 3rd Street
Pompano Beach FL 33069

Grabber Tampa
813.249.2281
5106 W Hanna Ave
Tampa FL 33634

CANADA

Grabber Vancouver
800.567.8876
#1, 5563-268th Street
Langley, British Columbia V4W 3W1

CORNERS AND TRIMS PRODUCT GUIDE



Discover the Grabber Difference

Grabber products are trusted to perform at the highest levels so you can do more, better. Since 1967, contractors have relied on the quality, value, consistency and performance of Grabber products, box after box. In a post-pandemic environment, you can count on Grabber to start boosting your productivity and profitability even before you reach the jobsite with easy purchasing options and valuable advice.

Visit www.grabberpro.com or call 800-477-8876
to find a dealer near you.



Grabber Corners and Trims
PG1008 USA-ENG Rev. 06-25

GRABBER CONSTRUCTION PRODUCTS, INC. 5255 W 11000 N., STE 100
HIGHLAND, UT 84003

(800) 477-8876 | GrabberPro.com

SAFETY FIRST: Wear appropriate personal protective equipment. Read applicable SDS and literature before handling and installation.

TECHNICAL INFORMATION: Technical information contained herein is furnished without charge or obligation and is given and accepted at the recipient's sole risk. Because conditions of use may vary and are beyond our control, Grabber Construction Products makes no representation about, and is not responsible or liable for, the accuracy or reliability of data associated with uses of any product described herein. Grabber Construction Products reserves the right to modify this document without prior notice.

©2025 Grabber Construction Products, Inc. | All rights reserved | Printed in U.S.A.

The trademarks Grabber, and Stylized G on Grabber Fasteners, are trademarks of Grabber Construction Products, Inc. AquaBead, Levelline, and No-Coat are trademarks of CertainTeed.