

SAFETY DATA SHEET

Section 1: Identification

Product Identification

Product Identifier: Recommended Use: Use Restrictions:

G20679, Pink Fluorescent Paint and coatings application. Any that differs from the recommended use.

Company Identification

Company: Address:

Phone: Website: Emergency: Grabber Construction Products Inc. 5255 North 11000 West Highland, Utah 84003 1-801-492-3880 www.grabberpro.com 1-800-255-3924

For most current SDS, please visit our website at: www.grabberpro.com/TechnicalDocuments/SDS

Section 2: Hazard(s) Identification

General Information

| Classification of the substance Flammable Aerosols 1 Gases under Pressure - Liquefied ga Specific Target Organ Toxicity - Sing Specific Target Organ Toxicity - Rep | H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. |
|--|--|
| Additional information: GHS Hazard pictograms | GHS02 GHS04 GHS07 GHS08 |
| Signal word Hazard statements | Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Suspected of causing cancer. Route of exposure: Inhalation. May cause respiratory irritation. |
| Precautionary statements | May cause damage to organs through prolonged or repeated exposure. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international regulations. |

| eral Information | | |
|--|---|--|
| Chemical characterization: Chemical Description: | Mixtures This product is a mixtur nonhazardous additions | e of the substances listed below with |
| ngerous components: | | |
| 74-98-6 106-97-8 | propane n-butane | 10-15% 5-10% |
| ction 4: First-Aid Measures | \$ | |
| neral Information | | |
| - | dical attention needed: N | lo further relevant information available. |
| ites of Exposure | | |
| After inhalation: After skin contact: | | t doctor in case of complaints. clothing. Wash exposed area with soap and |
| After eye contact: | Rinse opened eye for s consult a doctor. | everal minutes under running water. Then |
| After swallowing: | Dince meanth with weter | |
| | Rinse mouth with water | . Do not induce vomiting. |
| st Important Symptoms | Rinse mouth with water | . Do not induce vomiting. |
| | Rinse mouth with water | . Do not induce vomiting. |
| st Important Symptoms Dizziness | | . Do not induce vomiting. |
| st Important Symptoms Dizziness | sures | |
| St Important Symptoms Dizziness Ction 5: Fire-Fighting Meas Suitable Extinguishing Media: Hazards during firefighting: | Sures CO2, extinguishing pov spray. Can form explosive gas | /der or water spray. Fight larger fires with wate |
| st Important Symptoms Dizziness ction 5: Fire-Fighting Meas Suitable Extinguishing Media: | Sures CO2, extinguishing pov spray. Can form explosive gas | /der or water spray. Fight larger fires with wate |
| st Important Symptoms Dizziness ction 5: Fire-Fighting Meas Suitable Extinguishing Media: Hazards during firefighting: Fire-fighting Protective Equipment: ction 6: Accidental Releas | SURES CO2, extinguishing pov spray. Can form explosive gas A respiratory protective | /der or water spray. Fight larger fires with wate |
| st Important Symptoms Dizziness ction 5: Fire-Fighting Meas Suitable Extinguishing Media: Hazards during firefighting: Fire-fighting Protective | SURES CO2, extinguishing pov spray. Can form explosive gas A respiratory protective | /der or water spray. Fight larger fires with wate -air mixtures. |

Clean-Up Methods

Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

| Section 7: Handling and Storage | |
|---------------------------------|------------------------------------|
| Handling | |
| Precautions for safe handling | Use only in well-ventilated areas. |
| Storage | |
| | |

Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up.



Section 8: Exposure Controls/Personal Protection

| Personal Protective Equipment | |
|--------------------------------------|---|
| Eye Protection: | Tightly sealed goggles |
| Hand Protection: | Nitrile gloves. |
| | The glove material must be impermeable and resistant to the substance. |
| Skin and Body Protection: | Wear long sleeve shirt/long pants and other clothing |
| Respirator Protection: | A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long-term overexposure exists, a charcoal filter respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical hygiene. |
| General Hygiene: | Immediately remove all soiled and contaminated clothing. Wash hands after use. Avoid contact with the eyes and skin. Do not eat or drink while working. |
| Exposure Limits | |
| Components with limit values that | require monitoring at the workplace: |
| 74.00 C mmomomo | |

| Components with limit values that require monitoring at the workplace: | |
|--|--|
| 74-98-6 propane | |
| PEL (USA | Long-term value: 1800 mg/m ³ , 1000 ppm |
| REL (USA | Long-term value: 1800 mg/m³, 1000 ppm |
| TLV (USA) | see Appendix F Minimal oxygen content (D, EX) |
| 106-97-8 n-butane | |
| REL (USA) Long-term value: 1900 mg/m ³ , 800 ppm | |
| TLV (USA) | Short-term value: 1000 ppm (EX) |

Section 9: Physical and Chemical Properties

| cotion of theystoal and onen | |
|------------------------------|---|
| Appearance: | Aerosol. |
| Odor: | Solvent. |
| Odor threshold: | Not determined. |
| pH-value: | Not determined. |
| Melting point/Melting range: | Undetermined. |
| Boiling point: | -44 °C (-47.2 °F) |
| Flash point: | -19 °C (-2.2 °F) |
| Flammability (solid, gas): | Extremely flammable. |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not self-igniting. |
| Danger of explosion: | In use, may form flammable/explosive vapor-air mixture. |
| Lower Explosion Limit: | 1.7 Vol % |
| Upper Explosion Limit: | 10.9 Vol % |
| Vapor pressure: | Not determined. |
| Relative Density: | Between 0.77 and 0.85 (Water equals 1.00) |
| Vapor density: | Not determined. |
| Evaporation rate: | Not applicable. |
| Partition coefficient— | |
| n-octonal/water: | Not determined. |
| Solubility: | Not determined. |
| Viscosity: | Not determined. |
| | |

Section 10: Stability and Reactivity



| Description | |
|------------------------|--|
| Reactivity: | Stable at normal temperatures. |
| Chemical Stability: | Not fully evaluated. |
| Conditions to Avoid: | Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing temperatures. |
| Substances to Avoid: | No further relevant information available. |
| Hazardous Reactions | No dangerous reactions known. |
| Decomposition Products | No dangerous decomposition products known. |

Section 11: Toxicological Information

Sensitization:No sensitizing effects known.Skin contact:Irritant to skin and mucous membranes.Eye contact:No irritating effect.

Information on Toxicological Effects

No data available.

Section 12: Ecological Information (non-mandatory)

General Information

| eneral miormation | |
|--------------------------------|--|
| Aquatic toxicity: | Hazardous for water, do not empty into drains. |
| Other information: | This product does not contain any chlorofluorocarbons (CFC's), |
| | hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy |
| | metals (chromium, lead, cadmium), or chlorinated solvents. |
| Persistence and degradability: | The product is degradable after prolonged exposure to natural |
| | weathering processes. |
| Bioaccumulative potential: | No further relevant information available. |
| Mobility in soil: | No further relevant information available. |
| | |

Further Information

No further relevant information available.

Section 13: Disposal Considerations (non-mandatory)

Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

| Recommendation: | |
|------------------------------|--|
| Recommended cleansing agent: | |

Completely empty cans should be recycled. Water, if necessary with cleansing agents.

Section 14: Transport Information (non-mandatory)

General Information

UN number: UN1950 DOT: UN1950 DOT: Aerosols, flammable ADR: 1950 Aerosols Transport hazard class(es): Class 2.1 Gases Marine pollutant No Special precautions for user: Warning: Gases EMS Number: F-D.S-U Packaging Group: **UN "Model Regulation": UN 1950 AEROSOLS, 2.1**



| Section 15: Regulatory Information | | |
|--|--|--|
| SARA Section 355 (extremely hazardous substances): | | |
| None of the ingredients in this product are listed. | | |
| SARA Section 313 (Specific toxic chemical listings): | | |
| None of the ingredients in this product are listed. | | |
| Toxic Substances Control Act | | |
| (TSCA): | All hazardous ingredients are found on the inventory list of substances. | |
| Canadian Domestic Substances List | | |
| (DSL): | All ingredients are listed or exempted. | |
| Consumer Product Safety | | |
| Commission (CPSC): | This product complies with 16 CFR 1303 and does not contain more than 90 | |
| | ppm of lead. | |
| California Proposition 65 chemicals k | California Proposition 65 chemicals known to cause cancer: | |
| None of the ingredients is listed. | | |
| Prop 65 chemicals known to cause bi | Prop 65 chemicals known to cause birth defects or reproductive harm: | |
| None of the ingredients is listed. | | |
| EPA: | | |
| None of the ingredients is listed. | | |

Section 16: Other Information

Contact:

Regulatory Affairs

Disclaimer

Disclaimer of Liability:

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material. Information and recommendations contained herein are believed to be true and accurate, but all statements or suggestions are made without any warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material, or the results to be obtained for the use thereof.

This Safety Data Sheet (SDS) is prepared by Grabber Construction Products Inc.