

## Submittal Sheet

Submittal Sheet #0309047

### Drywall Laminating Screw (232)

Product:	Item#	Description	Unit Pack
	C12	10 x 1-1/2-in, Bugle Head, Coarse Thread, Drywall Laminator, Type G, Phosphate, Collated	1,000
	12	10 x 1-1/2-in, Bugle Head, Coarse Thread, Laminator, Phillips, Phosphate, Bulk	5,000
	12Z	10 x 1-1/2-in, Bugle Head, Coarse Thread, Laminator, Phillips, Clear Zinc, Bulk	5,000

Screw Series	Designation	Head Type	Nominal Diameter	Nominal Head Diameter	Nominal Gauge- TPI	Nominal Length	Point (No#)	Thread Length	Drilling Capacity Min#	Drilling Capacity Max#	Coating
Grabber	Interior Wood	Bugle Head	0.19	0.343	#10-8	1.5	Grabber	1.375	N/A	N/A	P, RG

**NOTE:** Grabber screws with the item numbers ending in "A" are manufactured in the United States of America. Grabber American Made Screws are SPECIAL ORDER INVENTORY. CONTACT GRABBER FOR CURRENT PRICE AND AVAILABILITY.

**Application:** GRABBER's drywall laminating screws are used for temporary attachment of gypsum board to gypsum board when glueing or laminating. (Not recommended for double layer 3/8-in panels)

**Description:** GRABBER's drywall laminating screw is designed with shear in mind! Extra heavy 10 gauge for additional holding power while laminating drywall to drywall. Gray phosphate finish and case hardened.

**Directions:** Use standard screw gun with depth sensitive nose piece. Suggested screw gun for optimum performance is 4 amps minimum and 0 to 4,000 rpm. Screw is completely seated when the head is flush with the work surface. Overdriving may result in failure of the fastener or stripping of the head recess. Do not overdrive.

**Certifications:** All GRABBER® screw products are manufactured in facilities that are ISO 9001 certified. The fasteners comply with ASTM C1002 performance requirements. ©2012 GRABBER Construction Products, Inc. GRABBER®, STREAKER®, DRIVALL®, LOX®, GRABBERGARD® and SCAVENGER® are registered trademarks of Grabber Construction Products, Inc.

SUBMITTAL APPROVALS:

.....  
JOB NAME

CONTRACTOR

DATE

**TRADEMARKS:**

The following trademark used herein is owned by Grabber Construction Products, Inc.: GRABBER.

**NOTICE:**

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.

## Drywall Laminating Screw (232)



### PRODUCT SPECIFICATIONS

<b>Fastener Classification</b>	Interior Wood
<b>Fastener Head</b>	Bugle
<b>Fastener Drive</b>	#2 Phillips
<b>Fastener Gauge</b>	#10
<b>Fastener Point</b>	Grabber
<b>Fastener Package Type</b>	Packaged Screws, Collated Screws (for automated feed systems)
<b>Fastener Package Weight</b>	Mini Pack, 1lb Box, 5 Pound, Bulk Box
<b>Fastener TPI</b>	8
<b>Fastener Coating</b>	Black/Gray Phosphate, Gray Phosphate, Clear Zinc, GrabberGard

### STANDARD CORROSION TEST RESULTS

Finish	Test	Standard/Protocol	Results
Gray Phosphate	Salt Spray Results	ASTM B117	24 hours, no red rust
Yellow Zinc	Salt Spray Results	ASTM B117	48 hours, no red rust
Clear Zinc	Salt Spray Results	ASTM B117	24 hours, no red rust
Dracrotized	Salt Spray Results	ASTM B117	500 hours, no red rust
GrabberGard	Salt Spray Results	ASTM B117	1,000 hours, no red rust
GrabberGard	Kesternich Results	DIN 50018, 2.0L	15 cycles, no red rust
304 Stainless Steel	Salt Spray Results	ASTM B117	1000 hours, no red rust
316 Stainless Steel	Salt Spray Results	ASTM B117	1500 hours, no red rust

Grabber's approved mill keeps tight control over all production standards and processes. Grabber's mill is ISO 9001, ISO 14001 and ICC-ES certified compliant ensuring Grabber fasteners meet or exceed the highest industry standards.