

Submittal Sheet

Submittal Sheet #0309048

Pan Head Drivall® Framing Screws (258)

Product:	Item#	Description	Unit Pack
	C19	6 x 7/16-in, Pan Head, Drivall®, Phosphate, Collated	2,000
	C20Z	8 x 1/2-in, Pan Head, Drivall®, Clear Zinc, Collated	2,000
	10058P3	10 x 5/8-in, Pan Head, Drivall®, Phillips, Clear Zinc, Bulk	7,500

Screw Series	Designation	Head Type	Nominal Diameter	Nominal Head Diameter	Nominal Gauge- TPI	Nominal Length	Point (No#)	Thread Length	Drilling Capacity Min#	Drilling Capacity Max#	Coating
Drivall	Heavy Gauge Steel	Pan Head	0.164	0.314	#8-18	1	Drill #3	1	20 ga.	12 ga.	Z
Drivall	Heavy Gauge Steel	Pan Head	0.164	0.314	#8-18	3//4	Drill #3	0.75	20 ga.	12 ga.	Z
Drivall	Heavy Gauge Steel	Pan Head	0.19	0.365	#10-16	0.5	Drill #3	0.5	20 ga.	8 ga.	Z
Drivall	Heavy Gauge Steel	Pan Head	0.19	0.365	#10-16	0.625	Drill #3	0.625	20 ga.	8 ga.	Z

Application: GRABBER's pan head Drivall® screws are design to penetrate heavy gauge steel (20 to 14 gauge) and are used for framing, affixing strapping, attaching fixtures, heavy metal HVAC applications, backup plates, door frames, plaster grounds, etc. (*Low profile flat pan, also known as a pancake head with #3 drill point)

Description: GRABBER's pan head screw is designed for high torque applications joining heavy gauge to heavy gauge metal. Clear zinc finish. 18 TPI Clear zinc finish 8-18 and 10-16 TP.

Directions: Use standard screw gun with depth sensitive nose piece. Suggested screw gun for optimum performance is 4 amps minimum and 0 to 4,000 rpm. Pan Head is completely seated when the head is flush against the work surface. Overdriving may result in failure of the fastener, the metal the fastener is attaching to, or stripping of the head recess. Penetration of three thread pitches beyond the penetrated metal is minimum.

Certifications: All GRABBER® screw products are manufactured in facilities that are ISO 9001 certified. The fasteners comply with ASTM C1513 requirements. Specific fasteners are listed in ICC ESR-1271; please check the report for listed item numbers. ©2012 GRABBER Construction Products, Inc. GRABBER®, STREAKER®, DRIVALL®, LOX®, GRABBERGARD® and SCAVENGER® are registered trademarks of Grabber Construction Products, Inc.



Pan Head Drivall®



SUBMITTAL APPROVALS:

.....
JOB NAME

CONTRACTOR

DATE

TRADEMARKS:

The following trademark used herein is owned by Grabber Construction Products, Inc.: GRABBER.

NOTICE:

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.

Pan Head Drivall® Framing Screws (258)



PRODUCT SPECIFICATIONS

Fastener Classification	Heavy Gauge Metal (18 or thicker)
Fastener Head	Pan, Pan Framing
Fastener Drive	#2 Phillips
Fastener Gauge	#6, #8, #10
Fastener Point	Drill, #2.5 Drill, #3 Drill
Fastener Package Type	Packaged Screws, Collated Screws (for automated feed systems)
Fastener Package Weight	Bulk Box
Fastener TPI	16, 18, 20
Fastener Coating	Black/Gray Phosphate, Clear Zinc

STANDARD CORROSION TEST RESULTS

Finish	Test	Standard/Protocol	Results
Gray Phosphate	Salt Spray Results	ASTM B117	24 hours, no red rust
Yellow Zinc	Salt Spray Results	ASTM B117	48 hours, no red rust
Clear Zinc	Salt Spray Results	ASTM B117	24 hours, no red rust
Dracrotized	Salt Spray Results	ASTM B117	500 hours, no red rust
GrabberGard	Salt Spray Results	ASTM B117	1,000 hours, no red rust
GrabberGard	Kesternich Results	DIN 50018, 2.0L	15 cycles, no red rust
304 Stainless Steel	Salt Spray Results	ASTM B117	1000 hours, no red rust
316 Stainless Steel	Salt Spray Results	ASTM B117	1500 hours, no red rust

Grabber's approved mill keeps tight control over all production standards and processes. Grabber's mill is ISO 9001, ISO 14001 and ICC-ES certified compliant ensuring Grabber fasteners meet or exceed the highest industry standards.