



SCORPION BRAND

INNOVATION SINCE 1975

Submittal Sheet #SCORDPZ1

PRODUCT:	Head:	Head dia.:	Size:
DPZ118	Bugle	0.323"	6 x 1 1/8"
DPZ114	Bugle	0.323"	6 x 1 1/4"
DPZ158	Bugle	0.323"	6 x 1 5/8"
DPZ178	Bugle	0.323"	6 x 1 7/8"

Application: The Bugle Head Self Drill Screw is designed specifically for the attaching 1/2" and 5/8" drywall to medium (20-14) gauge steel stud. Other applications include wood and core board to metal stud

Description: Bugle Head, #2 Phillips Recess Drive, 20 TPI, Black Phosphorus Finish with Self Drill #3 point. Available in NanoGard® Exterior finish and clear zinc silver finish.

Meets ASTM C954

Directions: Use standard screw gun with depth sensitive nose piece. Suggested screw gun for optimum performance is 4 amps minimum and 0 to 2500 rpm. Bugle Head is completely seated when the head is flush with the work surface. Overdriving may result in failure of the fastener, the metal the fastener is attaching to or stripping of the head recess. Penetration of three thread pitches beyond the penetrated metal is minimum.



SCORPION BRAND

INNOVATION SINCE 1975

Submittal Sheet #SCORPDPZ1

JOB NAME

CONTRACTOR

DATE

TRADEMARKS:

NOTICE:

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.



SCORPION BRAND

INNOVATION SINCE 1975

Submittal Sheet #SCORPDPZ1
Bugle Head Self Drill



Features:

Self Drill bugle head screws for drywall and general interior applications. #3 Drill Point means quick and easy penetration into light gauge metal or wood.

PRODUCT SPECIFICATIONS

Fastener Classification Light Gauge Metal
Fastener Head Bugle (head dia. 8.3 mm [0.327 in])
Fastener Drive #2 Phillips
Fastener Gauge #6, #7, #8, #10
Fastener Point #3 Drill
Fastener Package Type Packaged Screws
Fastener Package Weight 1lb Box, 5 Pound, Bulk Box

STANDARD CORROSION TEST RESULTS

Finish	Test	Standard/Protocol	Results
Black/Gray Phosphate	Salt Spray Results	ASTM B117	24 hours, no red rust
Yellow Zinc	Salt Spray Results	ASTM B117	24 hours, no red rust
Clear Zinc	Salt Spray Results	ASTM B117	12 hours, no red rust
NanoGard	Salt Spray Results	ASTM B117	1000 hours, 15 cycles Kesternich per DIN 50018 No red rust

All Scorpion screw products are manufactured in facilities that are ISO 9002 certified and approved. The fasteners comply with ASTM C1002. ©2014 Scorpion® are registered names or trademarks by Grabber Construction Products Inc.