



## SCORPION BRAND

INNOVATION SINCE 1975

Submittal Sheet #SCORPT4P  
#14 FLAT HEAD SELF DRILL WITH WINGS

---

### PRODUCT:

ITEM	DESCRIPTION	SIZE	QTY.
T4PF14350XT.	Flat Head Self Drill #4 Point NanoGard	14 x 3 1/2	1m/bx.
T4PF14314XT	Flat Head Self Drill #4 Point NanoGard	14 x 3 1/4	1m/bx.

---

### APPLICATION:

Self drilling fastener for attaching 3/8" to 1" plywood or wood to 1/4 "– 18 gauge steel.  
For attachment of sheathing, siding, OSB or plywood to steel

### FEATURE BENEFITS:

The Flat head ease countersinking and leave smooth clean edges.  
Wings allow the screw to drill thru wood into the metal without clogging the threads  
Eliminates racking/lifting the material before it penetrates through the metal

### INSTALLATION INSTRUCTIONS:

Use a standard screw gun with a depth-sensitive nose piece. Suggested  
Screw gun specification for optimal performance – 4 amps minimum and  
RPM range of 1800 to 4,000.  
Proper depth setting is paramount in this application.  
Overdriving may result in failure of the fastener or strip out of the work surface

### DESCRIPTION:

Flat Head Self Drill #4 Point NanoGard 1000 hrs. SST  
Meets ASTM C954 C1513



# SCORPION BRAND

INNOVATION SINCE 1975

Submittal Sheet #SCORPDPZ1

JOB NAME

CONTRACTOR

DATE

**TRADEMARKS:**

**NOTICE:**


We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.



# SCORPION BRAND

INNOVATION SINCE 1975

Submittal Sheet #SCORPT4P  
FLAT HEAD SELF DRILL WITH WINGS



Flat Head



Drill Point

---

### Features:

Self Drill flat head screws with wings for attachment of OSB/PLYWOOD/SHEATHING.  
# 4 Drill Point means quick and easy penetration into .250" metal.

---

### PRODUCT SPECIFICATIONS

Fastener Classification 18 gauge – 1/4" Metal  
Fastener Head FLAT  
Fastener Drive #2 Phillips  
Fastener Gauge #14  
Fastener Point Drill  
Fastener Package Type Packaged Screws  
Fastener Package Weight 1lb Box, 5 Pound, Bulk Box

---

### STANDARD CORROSION TEST RESULTS

Finish	Test	Standard/Protocol	Results
Black/Gray Phosphate	Salt Spray Results	ASTM B117	24 hours, no red rust
Yellow Zinc	Salt Spray Results	ASTM B117	48 hours, no red rust
Clear Zinc	Salt Spray Results	ASTM B117	24 hours, no red rust
NanoGard	Salt Spray Results	ASTM B117 DIN	1000 hours, no red rust Kesternich 15 cycles

---

All Scorpion screw products are manufactured in facilities that are ISO 9002 and ISO 14001 certified and approved. The fasteners comply with SAE J78 and ASTM C 1002, and are approved for use by the Uniform Building Code, International Residential Code and International Building Code. ©2015 Scorpion® are registered names or trademarks by Grabber Construction Products Inc.