

SUBMITTAL SHEET

Submittal Sheet: UltraPro

UltraPro Screws - Interior and Exterior

PRODUCT	Gauge/Length	Head	Thread	Point	Coating	UNIT PACK
U8125YZ	8 x 1-1/4-in	FSH	UltraCut™ Thread	QG Type 17	Yellow Zinc	Bulk, 5lb Box, 1lb Box and mini pack
U8150YZ	8 x 1-1/2-in	FSH	UltraCut™ Thread	QG Type 17	Yellow Zinc	Bulk, 5lb Box, 1lb Box and mini pack
U8200YZ	8 x 2-in	FSH	UltraCut™ Thread	QG Type 17	Yellow Zinc	Bulk, 5lb Box, 1lb Box and mini pack
U9250YZ	9 x 2-1/2-in	FSH	UltraCut™ Thread	QG Type 17	Yellow Zinc	Bulk, 5lb Box, 1lb Box and mini pack
U10300YZ	10 x 3-in	FSH	UltraCut™ Thread	QG Type 17	Yellow Zinc	Bulk, 5lb Box, 1lb Box and mini pack
U10350YZ	10 x 3-1/2-in	FSH	UltraCut™ Thread	QG Type 17	Yellow Zinc	Bulk, 5lb Box, 1lb Box and mini pack
U10400YZ	10 x 4-in	FSH	UltraCut™ Thread	QG Type 17	Yellow Zinc	Bulk, 5lb Box, 1lb Box and mini pack
U10450YZ	10 x 4-1/2-in	FSH	UltraCut™ Thread	QG Type 17	Yellow Zinc	Bulk, 5lb Box, 1lb Box and mini pack
U10500YZ	10 x 5-in	FSH	UltraCut™ Thread	QG Type 17	Yellow Zinc	Bulk, 5lb Box, 1lb Box and mini pack
U8125G	8 x 1-1/4-in	FSH	UltraCut™ Thread	QG Type 17	GrabberGard® Gold	Bulk, 5lb Box, 1lb Box and mini pack
U8150G	8 x 1-1/2-in	FSH	UltraCut™ Thread	QG Type 17	GrabberGard® Gold	Bulk, 5lb Box, 1lb Box and mini pack
U8200G	8 x 2-in	FSH	UltraCut™ Thread	QG Type 17	GrabberGard® Gold	Bulk, 5lb Box, 1lb Box and mini pack
U9250G	9 x 2-1/2-in	FSH	UltraCut™ Thread	QG Type 17	GrabberGard® Gold	Bulk, 5lb Box, 1lb Box and mini pack
U10300G	10 x 3-in	FSH	UltraCut™ Thread	QG Type 17	GrabberGard® Gold	Bulk, 5lb Box, 1lb Box and mini pack
U10350G	10 x 3-1/2-in	FSH	UltraCut™ Thread	QG Type 17	GrabberGard® Gold	Bulk, 5lb Box, 1lb Box and mini pack
U10400G	10 x 4-in	FSH	UltraCut™ Thread	QG Type 17	GrabberGard® Gold	Bulk, 5lb Box, 1lb Box and mini pack
U10450G	10 x 4-1/2-in	FSH	UltraCut™ Thread	QG Type 17	GrabberGard® Gold	Bulk, 5lb Box, 1lb Box and mini pack
U10500G	10 x 5-in	FSH	UltraCut™ Thread	QG Type 17	GrabberGard® Gold	Bulk, 5lb Box, 1lb Box and mini pack

Application: Driving wood-to-wood screws and deck screws can be a lot of work and a challenge especially when driving into harder materials. Anyone who has used wood screws has had experience with strip-outs, popped heads and screws that don't seat flush. Grabber developed the new UltraPro screws to help take the hassle out of driving screws so you can concentrate on the job.

Specifications:

Gauge: #8 - 10
Length: 1-1/4-in - 5in
Head Type: Flat Scavenger™ II Head
Recess Type: LOX 2
Thread Type: UltraCut™
Point Type: QuickGrab™ Type 17
Coating: YZ and GrabberGard® Gray

Key Features:

LOX Recess: Eight points of contact mean no more strip outs
Scavenger™ II Head: Self-countersinks - clean and flush
Draw-Tite™ Upper Threads: Pull wood members together
Type 17 Point: No pre-drilling required
QuickGrab™ Point: Grabs and starts fast
GrabberGard®: Limited Lifetime Warranty against corrosion
UltraCut Threads: Drive faster and cleaner

Installation Guidelines: Use a standard screwgun with a depth-sensitive nose piece, drill or impact driver. Suggested screwgun specification for optimal performance – 4 amps minimum and 2500 RPM.

SUBMITTAL APPROVALS:


JOB NAME

CONTRACTOR

DATE

NOTICE:
We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.

NOTES:



GrabberGard Fasteners for ACQ – Pressure Treated Lumber

Use stainless steel when maximum corrosion resistance is required.

Use hot dipped galvanized when lesser corrosion resistance is required.

PRODUCT SPECIFICATIONS

Fastener Classification	Exterior/Interior Wood
Fastener Head	Flat Scavenger II
Fastener Drive	LOX 2
Fastener Gauge	#8 - #10
Fastener Point	QuickGrab Type 17
Fastener Package Type	Bulk, 5lb, 1lb and mini pack

STANDARD CORROSION TEST RESULTS

Finish	Test	Standard/Protocol	Results
GrabberGard	Salt Spray Results	ASTM B117	1,500 hours no red rust GrabberGard

All GRABBER® screw products are manufactured in facilities that are ISO 9001 certified and approved. The fasteners are approved for use in structures governed by the 2015, 2012 and 2009 International Building Code and the 2015, 2012 and 2009 International Residential Code.

Salt Spray Results ASTM B117 1500 hours, no red rust:

GrabberGard® metal finish is a high-grade proprietary metal surface processing technology that prevents corrosion. It is a duplex coating constituting a zinc substrate and organic polymer topcoat. The distinguishing feature of GrabberGard® is the joining and encapsulation the substrate with the fused organic surface coating. These layers are bonded together through thermal fusion, and this unique method of combining layers results in a combination of the coating films. Suitable for use in non coastal areas with all pressure treated lumbers including ACQ.

TRADEMARKS:

The following trademarks used herein is owned by: GRABBER CONSTRUCTION PRODUCTS INC.

UltraPro, GrabberGard, Scavenger, UltraCut, QuickGrab