

# COLLATED FASTENER APPLICATIONS FOR SUPERDRIVE TOOLS



| FASTENER | ITEM NO. | SIZE | DESCRIPTION | DRIVE | COATING | CASE/<br>PALLET | APPLICATION |
|----------|----------|------|-------------|-------|---------|-----------------|-------------|
|----------|----------|------|-------------|-------|---------|-----------------|-------------|

## GRABBER INTERIOR DRYWALL TO WOOD



Bugle Head Coarse Thread Grabber



Bugle Head Coarse Thread Laminator

|        |             |                                                           |          |             |       |                                       |
|--------|-------------|-----------------------------------------------------------|----------|-------------|-------|---------------------------------------|
| C300   | 6 x 1-1/4"  | Bugle Head, Coarse Thread                                 | Phillips | Phosphate   | 6/240 | Drywall to Wood                       |
| C300YZ | 6 x 1-1/4"  | Bugle Head, Coarse Thread                                 | Phillips | Yellow Zinc | 6/240 | Drywall to Wood                       |
| C308   | 6 x 1-1/4"  | Scavenger Head, Coarse Thread                             | Phillips | Phosphate   | 6/240 | Drywall to Wood                       |
| CB308  | 6 x 1-1/4"  | Scavenger Head, Coarse Thread                             | Phillips | Phosphate   | 4/144 | Drywall to Wood                       |
| C400   | 6 x 1-5/8"  | Bugle Head, Coarse Thread                                 | Phillips | Phosphate   | 6/240 | Drywall to Wood                       |
| C400YZ | 6 x 1-5/8"  | Bugle Head, Coarse Thread                                 | Phillips | Yellow Zinc | 6/240 | Drywall to Wood                       |
| C408   | 6 x 1-5/8"  | Scavenger Head, Coarse Thread                             | Phillips | Phosphate   | 6/240 | Drywall to Wood                       |
| C375   | 7 X 1-3/4"  | Bugle Head, Coarse Thread                                 | Phillips | Phosphate   | 6/240 | Drywall to Wood                       |
| C500   | 7 x 2"      | Bugle Head, Coarse Thread                                 | Phillips | Phosphate   | 6/192 | Drywall to Wood                       |
| C900   | 8 x 2-1/2"  | Bugle Head, Coarse Thread                                 | Phillips | Phosphate   | 1/160 | Drywall to Wood                       |
| C12    | 10 x 1-1/2" | Bugle Head, Coarse Thread, Laminator, Phosphate, Collated | Phillips | Phosphate   | 6/240 | Drywall to Drywall/Sheathing to Heavy |

## SUBFLOOR / SHEATHING TO WOOD



Bugle Head Fine Thread Streaker



Flat Head Coarse Thread

|           |            |                          |       |             |       |                  |
|-----------|------------|--------------------------|-------|-------------|-------|------------------|
| C7125UL2  | 7 x 1-1/4" | Flat Trim Head           | LOX 2 | Phosphate   | 6/240 | Underlayment     |
| C8175L3YZ | 8 x 1-3/4" | Flat Head, Coarse Thread | LOX 3 | Yellow Zinc | 4/192 | Subfloor to Wood |
| C8200L3YZ | 8 x 2"     | Flat Head, Coarse Thread | LOX 3 | Yellow Zinc | 4/160 | Subfloor to Wood |
| C8250L3YZ | 8 x 2-1/2" | Flat Head, Coarse Thread | LOX 3 | Yellow Zinc | 4/160 | Subfloor to Wood |
| C8300L3YZ | 8 x 3"     | Flat Head, Coarse Thread | LOX 3 | Yellow Zinc | 4/160 | Subfloor to Wood |

## STABBER® - SHEATHING / SUBFLOOR TO HEAVY GAUGE METAL



Flat Head Stabber

|             |             |                    |       |             |       |                                         |
|-------------|-------------|--------------------|-------|-------------|-------|-----------------------------------------|
| CS8150JBWYZ | 8 x 1-1/2"  | Flat Head, Stabber | LOX 2 | Yellow Zinc | 6/240 | Subfloor/Sheathing to Heavy Gauge Metal |
| CS8150L3YZ  | 8 x 1-1/2"  | Flat Head, Stabber | LOX 3 | Yellow Zinc | 6/240 | Subfloor/Sheathing to Heavy Gauge Metal |
| CS8175LYZ   | 8 x 1-3/4"  | Flat Head, Stabber | LOX 2 | Yellow Zinc | 4/192 | Subfloor/Sheathing to Heavy Gauge Metal |
| CS8175LRG   | 8 x 1-3/4"  | Flat Head, Stabber | LOX 2 | GrabberGard | 4/192 | Subfloor/Sheathing to Heavy Gauge Metal |
| CS8200JBWYZ | 8 x 2"      | Flat Head, Stabber | LOX 2 | Yellow Zinc | 4/160 | Subfloor/Sheathing to Heavy Gauge Metal |
| CS8250JBWYZ | 8 x 2-1/2"  | Flat Head, Stabber | LOX 2 | Yellow Zinc | 4/160 | Subfloor/Sheathing to Heavy Gauge Metal |
| C10158JBWG2 | 10 x 1-5/8" | Flat Head, Stabber | LOX 2 | GrabberGard | 4/192 | Subfloor/Sheathing to Heavy Gauge Metal |

## STREAKER® FINE THREAD FOR DRYWALL TO LIGHT GAUGE METAL



Bugle Head Fine Thread Streaker

|         |            |                              |          |             |       |                              |
|---------|------------|------------------------------|----------|-------------|-------|------------------------------|
| C168    | 6 x 1"     | Bugle Head, Fine Thread      | Phillips | Phosphate   | 6/240 | Drywall to Light Gauge Metal |
| C168Z   | 6 x 1"     | Bugle Head, Fine Thread      | Phillips | Clear Zinc  | 6/240 | Drywall to Light Gauge Metal |
| C268    | 6 x 1-1/8" | Bugle Head, Fine Thread      | Phillips | Phosphate   | 6/240 | Drywall to Light Gauge Metal |
| C368    | 6 x 1-1/4" | Bugle Head, Fine Thread      | Phillips | Phosphate   | 6/240 | Drywall to Light Gauge Metal |
| C368SHL | 6 x 1-1/4" | Scavenger Head, Hi-Lo Thread | Phillips | Phosphate   | 6/240 | Drywall to Light Gauge Metal |
| C368RG  | 6 x 1-1/4" | Bugle Head, Fine Thread      | Phillips | GrabberGard | 6/240 | Drywall to Light Gauge Metal |
| C468    | 6 x 1-5/8" | Bugle Head, Fine Thread      | Phillips | Phosphate   | 6/240 | Drywall to Light Gauge Metal |
| C468SHL | 6 x 1-5/8" | Scavenger Head, Hi-Lo Thread | Phillips | Phosphate   | 6/240 | Drywall to Light Gauge Metal |
| C568    | 6 x 1-3/4" | Bugle Head, Fine Thread      | Phillips | Phosphate   | 6/240 | Drywall to Light Gauge Metal |
| C768    | 7 x 2"     | Bugle Head, Fine Thread      | Phillips | Phosphate   | 6/192 | Drywall to Light Gauge Metal |

## VECTOR™ POINT FINE THREAD FOR DRYWALL AND LIGHT/MID GAUGE METAL TO METAL

|        |            |                                        |          |            |       |                                  |
|--------|------------|----------------------------------------|----------|------------|-------|----------------------------------|
| C368SV | 6 x 1-1/4" | Scavenger Head, Fine Thread, Vector®   | Phillips | Phosphate  | 6/240 | Drywall to Light/Mid Gauge Metal |
| C368V  | 6 x 1-1/4" | Bugle Head, Fine Thread, Vector®       | Phillips | Phosphate  | 6/240 | Drywall to Light/Mid Gauge Metal |
| C368ZV | 6 x 1-1/4" | Bugle Head, Fine Thread, Vector®       | Phillips | Clear Zinc | 6/240 | Drywall to Light/Mid Gauge Metal |
| C23V   | 7 x 7/17"  | Pan Framing Head, Fine Thread, Vector® | Phillips | Phosphate  | 6/240 | Light/Mid Gauge Metal to Metal   |




# COLLATED FASTENER APPLICATIONS FOR SUPERDRIVE TOOLS



| FASTENER                                                                                                            | ITEM NO.  | SIZE       | DESCRIPTION                     | DRIVE    | COATING     | CASE/<br>PALLET | APPLICATION                                         |
|---------------------------------------------------------------------------------------------------------------------|-----------|------------|---------------------------------|----------|-------------|-----------------|-----------------------------------------------------|
| <br>Bugle Head Drill Point         | C14S      | 6 x 1-1/4" | Scavenger Head, Drill Point     | Phillips | Phosphate   | 6/240           | Drywall to Heavy Gauge Metal                        |
|                                                                                                                     | C14Z      | 6 x 1-1/4" | Bugle Head, Drill Point         | Phillips | Clear Zinc  | 6/240           | Drywall to Heavy Gauge Metal                        |
|                                                                                                                     | C14RG     | 6 x 1-1/4" | Bugle Head, Drill Point         | Phillips | GrabberGard | 6/240           | Gyp Sheathing to Heavy Gauge Metal                  |
| <br>Scavenger Head Drill Point     | C14Z8LOX  | 6 x 1-1/4" | Bugle Head, Tek 3 Drill Point   | LOX 2    | Clear Zinc  | 6/240           | Drywall to Heavy Gauge Metal                        |
| <br>Undercut Flat Head Drill Point | C15Z      | 6 x 1-5/8" | Bugle Head, Drill Point         | Phillips | Clear Zinc  | 6/240           | Drywall to Heavy Gauge Metal                        |
|                                                                                                                     | C16       | 6 x 1-7/8" | Bugle Head, Drill Point         | Phillips | Phosphate   | 6/192           | Drywall to Heavy Gauge Metal                        |
|                                                                                                                     | C16Z      | 6 x 1-7/8" | Bugle Head, Drill Point         | Phillips | Clear Zinc  | 6/192           | Drywall to Heavy Gauge Metal                        |
|                                                                                                                     | C16RG     | 6 x 1-7/8" | Bugle Head, Drill Point         | Phillips | GrabberGard | 6/192           | Gyp Sheathing to Heavy Gauge Metal                  |
|                                                                                                                     | C30SZ     | 8 x 2-3/8" | Bugle Head, Drill Point         | Phillips | Clear Zinc  | 4/160           | Drywall to Heavy Gauge Metal                        |
|                                                                                                                     | C8100SDUC | 8 x 1"     | Undercut Flat Head, Drill Point | Phillips | Clear Zinc  | 6/240           | Lauan/Plywood to Heavy Gauge Metal - Cargo Trailers |

## PILOT POINT - SHEATHING / SURE-BOARD® TO HEAVY GAUGE METAL

|                                                                                                            |               |             |                                            |       |             |       |                                      |
|------------------------------------------------------------------------------------------------------------|---------------|-------------|--------------------------------------------|-------|-------------|-------|--------------------------------------|
| <br>Flat Head Pilot Point | CMG158SD      | 8 x 1-5/8"  | Flat Head w/Nibs, Pilot Point, Drill Point | LOX 2 | GrabberGard | 6/240 | Wood to Heavy Gauge Metal            |
|                                                                                                            | CM175SDZJBW   | 8 x 1-3/4"  | Flat Head, Pilot Point, Self- Driller      | LOX 2 | Clear Zinc  | 4/192 | Wood/Sure-Board to Heavy Gauge Metal |
|                                                                                                            | CM10178SDZJBW | 10 x 1-7/8" | Flat Head, Pilot Point, Self- Driller      | LOX 2 | Clear Zinc  | 4/160 | Wood/Sure-Board to Heavy Gauge Metal |

## XTEK® SELF DRILLING - HEAVY GAUGE METAL TO WOOD

|                                                                                                                      |          |             |                                                      |       |             |       |                           |
|----------------------------------------------------------------------------------------------------------------------|----------|-------------|------------------------------------------------------|-------|-------------|-------|---------------------------|
| <br>Modified Pan Head Drill Point | CDMWH138 | 11 x 1-3/8" | Modified Pan Head, Hi-Lo Thread, Reduced-Drill Point | LOX 3 | Yellow Zinc | 4/192 | Heavy Gauge Metal to Wood |
|----------------------------------------------------------------------------------------------------------------------|----------|-------------|------------------------------------------------------|-------|-------------|-------|---------------------------|

## PLYLOCK® - WOOD SHEATHING / SUBFLOOR TO HEAVY GAUGE METAL

|                                                                                                                     |             |             |                                             |       |             |       |                                     |
|---------------------------------------------------------------------------------------------------------------------|-------------|-------------|---------------------------------------------|-------|-------------|-------|-------------------------------------|
| <br>Flat Head Winged Drill Point | C10150L3YZE | 10 x 1-1/2" | Flat Head, Hi-Lo Thread, Winged Drill Point | LOX 3 | Yellow Zinc | 6/240 | Wood Sheathing to Heavy Gauge Metal |
|                                                                                                                     | C10150L3YZH | 10 x 1-1/2" | Flat Head, Hi-Lo Thread, Winged Drill Point | LOX 3 | Yellow Zinc | 6/240 | Wood Sheathing to Heavy Gauge Metal |
|                                                                                                                     | C10175L3YZE | 10 x 1-3/4" | Flat Head, Hi-Lo Thread, Winged Drill Point | LOX 3 | Yellow Zinc | 4/192 | Wood Sheathing to Heavy Gauge Metal |
|                                                                                                                     | C10200L3YZE | 10 x 2"     | Flat Head, Hi-Lo Thread, Winged Drill Point | LOX 3 | Yellow Zinc | 4/160 | Wood Sheathing to Heavy Gauge Metal |
|                                                                                                                     | C10200L3GE  | 10 x 2"     | Flat Head, Hi-Lo Thread, Winged Drill Point | LOX 3 | GrabberGard | 4/160 | Wood Sheathing to Heavy Gauge Metal |
|                                                                                                                     | C10250L3YZE | 10 x 2-1/2" | Flat Head, Hi-Lo Thread, Winged Drill Point | LOX 3 | Yellow Zinc | 4/160 | Wood Sheathing to Heavy Gauge Metal |
|                                                                                                                     | CTB12158LYZ | 12 x 1-5/8" | Flat Head, Tek 4, Winged, Drill Point       | LOX 3 | Yellow Zinc | 4/192 | Wood Sheathing to Heavy Gauge Metal |
|                                                                                                                     | CC12250LYZ  | 12 x 2-1/2" | Flat Head, Tek 4, Winged, Drill Point       | LOX 3 | Yellow Zinc | 4/160 | Wood Sheathing to Heavy Gauge Metal |
|                                                                                                                     | CC12250LRG  | 12 x 2-1/2" | Flat Head, Tek 4, Winged, Drill Point       | LOX 3 | GrabberGard | 4/160 | Wood Sheathing to Heavy Gauge Metal |

## DRIVALL® SELF DRILLING - HEAVY GAUGE METAL TO HEAVY GAUGE METAL

|                                                                                                                  |                |                |                                                       |          |                      |       |                                 |
|------------------------------------------------------------------------------------------------------------------|----------------|----------------|-------------------------------------------------------|----------|----------------------|-------|---------------------------------|
| <br>Flat Pan Head Drill Point | CFP101858JBWZ  | 10-18 x 5/8"   | Flat Pan Head, Drill Point                            | LOX 2    | Clear Zinc           | 6/240 | Steel Framing Heavy Gauge Metal |
|                                                                                                                  | CFP101875JBWZ  | 10-18 x 3/4"   | Flat Pan Head, Drill Point                            | LOX 2    | Clear Zinc           | 6/240 | Steel Framing Heavy Gauge Metal |
|                                                                                                                  | CFP101875LYZ   | 10-18 x 3/4"   | Flat Pan Head, Fine Thread, Drill Point               | LOX      | Yellow Zinc          | 6/240 | Steel Framing Heavy Gauge Metal |
|                                                                                                                  | CFP101875JBWRG | 10-18 x 3/4"   | Flat Pan Head, Drill Point                            | LOX 2    | GrabberGard          | 6/240 | Steel Framing Heavy Gauge Metal |
|                                                                                                                  | CFP102275LYZ   | 10-22 x 3/4"   | Flat Pan Head, Tek 3.5, Drill Point                   | LOX 2    | Yellow Zinc          | 6/240 | Steel Framing Heavy Gauge Metal |
|                                                                                                                  | CFP121875LZ2   | 12-18 x 3/4"   | Flat Pan Head, Drill Point                            | LOX 2    | Clear Zinc           | 6/240 | Steel Framing Heavy Gauge Metal |
|                                                                                                                  | CFP121878JBWZ  | 12-18 x 7/8"   | Flat Pan Head, Drill Point                            | LOX 2    | Collated, Clear Zinc | 6/240 | Steel Framing Heavy Gauge Metal |
|                                                                                                                  | CFP121878LRG   | 12-18 x 7/8"   | Flat Pan Head, Drill Point                            | LOX 2    | GrabberGard          | 6/240 | Steel Framing Heavy Gauge Metal |
|                                                                                                                  | CCFP12158LYZ   | 12-18 x 1-5/8" | Flat Pan Head, Tek 5, Drill Point                     | LOX 2    | Yellow Zinc          | 4/192 | Steel Framing Heavy Gauge Metal |
|                                                                                                                  | CC12158LYZ     | 12-18 x 1-5/8" | Flat Pan Head, Tek 5, Drill Point                     | LOX 2    | Yellow Zinc          | 4/192 | Steel Framing Heavy Gauge Metal |
|                                                                                                                  | C34DZ          | 8 x 1/2"       | Reduced Modified Truss Head, Fine Thread, Drill Point | Phillips | Clear Zinc           | 6/240 | Steel Framing Heavy Gauge Metal |




# COLLATED FASTENER APPLICATIONS FOR SUPERDRIVE TOOLS



| FASTENER | ITEM NO. | SIZE | DESCRIPTION | DRIVE | COATING | CASE/<br>PALLET | APPLICATION |
|----------|----------|------|-------------|-------|---------|-----------------|-------------|
|----------|----------|------|-------------|-------|---------|-----------------|-------------|

## EXTERIOR DECK & FENCE TO WOOD

|                                                                                                                   |           |            |                                          |       |                 |       |                                          |
|-------------------------------------------------------------------------------------------------------------------|-----------|------------|------------------------------------------|-------|-----------------|-------|------------------------------------------|
| <br>Flat Head Coarse Thread      | C8200L2M  | 8 x 2"     | Flat Head w/Nibs, Type 17, Coarse Thread | LOX 2 | GrabberGard     | 4/160 | Exterior Decking or Treated Wood to Wood |
|                                                                                                                   | C8250L2M  | 8 x 2-1/2" | Flat Head w/Nibs, Type 17, Coarse Thread | LOX 2 | GrabberGard     | 4/160 | Exterior Decking or Treated Wood to Wood |
| <br>Composite Head Coarse Thread | C8250L2MR | 8 x 2-1/2" | Flat Head w/Nibs, Type 17, Coarse Thread | LOX 2 | GrabberGard Red | 4/160 | Exterior Decking or Treated Wood to Wood |
|                                                                                                                   | C9300L2M  | 9 x 3"     | Flat Head w/Nibs, Type 17, Coarse Thread | LOX 2 | GrabberGard     | 4/160 | Exterior Decking or Treated Wood to Wood |
| <br>Bugle Head Coarse Thread     | C8300TXG2 | 8 x 3"     | Modified Flat Head, Coarse Thread        | LOX 2 | GrabberGard     | 4/160 | Exterior Decking or Treated Wood to Wood |

## EXTERIOR SHEATHING & WOOD TO WOOD

|                                                                                                               |         |              |                           |          |                 |       |                                  |
|---------------------------------------------------------------------------------------------------------------|---------|--------------|---------------------------|----------|-----------------|-------|----------------------------------|
| <br>Bugle Head Coarse Thread | C300RG  | 6 x 1-1/4-in | Bugle Head, Coarse Thread | Phillips | GrabberGard     | 6/240 | Sheathing to Wood / Wood to Wood |
|                                                                                                               | C400RG  | 6 x 1-5/8-in | Bugle Head, Coarse Thread | Phillips | GrabberGard     | 6/240 | Sheathing to Wood / Wood to Wood |
|                                                                                                               | C400RRG | 6 x 1-5/8-in | Bugle Head, Coarse Thread | Phillips | GrabberGard Red | 6/240 | Sheathing to Wood / Wood to Wood |
|                                                                                                               | C500RG  | 7 x 2-in     | Bugle Head, Coarse Thread | Phillips | GrabberGard     | 6/192 | Sheathing to Wood / Wood to Wood |
|                                                                                                               | C500RRG | 7 x 2-in     | Bugle Head, Coarse Thread | Phillips | GrabberGard Red | 6/192 | Sheathing to Wood / Wood to Wood |
|                                                                                                               | C900RG  | 8 x 2-in     | Bugle Head, Coarse Thread | Phillips | GrabberGard Red | 6/192 | Sheathing to Wood / Wood to Wood |

## CEMENT BOARD / HIGH DENSITY BOARD TO METAL AND WOOD

|                                                                                                                           |           |              |                                     |       |             |       |                                          |
|---------------------------------------------------------------------------------------------------------------------------|-----------|--------------|-------------------------------------|-------|-------------|-------|------------------------------------------|
| <br>Flat Wafer Head Winged Drill Point | CGH8114LG | 8 x 1-1/4-in | Flat Wafer Head, Winged Drill Point | LOX 2 | GrabberGard | 6/240 | High Density/Cement Board to Heavy Gauge |
|                                                                                                                           | CGH8158LG | 8 x 1-5/8-in | Flat Wafer Head, Winged Drill Point | LOX 2 | GrabberGard | 6/240 | High Density/Cement Board to Heavy Gauge |
|                                                                                                                           | CGH8238LG | 8 x 2-3/8-in | Flat Wafer Head, Winged Drill Point | LOX 2 | GrabberGard | 4/160 | High Density/Cement Board to Heavy Gauge |
| <br>Flat Wafer Head Fine Thread        |           |              |                                     |       |             |       |                                          |



# COLLATED FASTENER APPLICATIONS FOR **MACH1**



| FASTENER | ITEM NO. | SIZE | DESCRIPTION | DRIVE | COATING | CASE/<br>PALLET | APPLICATION |
|----------|----------|------|-------------|-------|---------|-----------------|-------------|
|----------|----------|------|-------------|-------|---------|-----------------|-------------|

## DRIVALL® SELF DRILLING - HEAVY GAUGE METAL TO HEAVY GAUGE METAL



|                |              |                                                       |          |                      |       |                                 |
|----------------|--------------|-------------------------------------------------------|----------|----------------------|-------|---------------------------------|
| CFP101858JBWZ  | 10-18 x 5/8" | Flat Pan Head, Drill Point                            | LOX 2    | Clear Zinc           | 6/240 | Steel Framing Heavy Gauge Metal |
| CFP101875JBWZ  | 10-18 x 3/4" | Flat Pan Head, Drill Point                            | LOX 2    | Clear Zinc           | 6/240 | Steel Framing Heavy Gauge Metal |
| CFP101875LYZ   | 10-18 x 3/4" | Flat Pan Head, Fine Thread, Drill Point               | LOX      | Yellow Zinc          | 6/240 | Steel Framing Heavy Gauge Metal |
| CFP101875JBWRG | 10-18 x 3/4" | Flat Pan Head, Drill Point                            | LOX 2    | GrabberGard          | 6/240 | Steel Framing Heavy Gauge Metal |
| CFP102275LYZ   | 10-22 x 3/4" | Flat Pan Head, Tek 3.5, Drill Point                   | LOX 2    | Yellow Zinc          | 6/240 | Steel Framing Heavy Gauge Metal |
| CFP121875LZZ   | 12-18 x 3/4" | Flat Pan Head, Drill Point                            | LOX 2    | Clear Zinc           | 6/240 | Steel Framing Heavy Gauge Metal |
| CFP121878JBWZ  | 12-18 x 7/8" | Flat Pan Head, Drill Point                            | LOX 2    | Collated, Clear Zinc | 6/240 | Steel Framing Heavy Gauge Metal |
| CFP121878LRG   | 12-18 x 7/8" | Flat Pan Head, Drill Point                            | LOX 2    | GrabberGard          | 6/240 | Steel Framing Heavy Gauge Metal |
| C34DZ          | 8 x 1/2"     | Reduced Modified Truss Head, Fine Thread, Drill Point | Phillips | Clear Zinc           | 6/240 | Steel Framing Heavy Gauge Metal |

## VECTOR™ POINT FINE THREAD FOR DRYWALL TO LIGHT/MID GAUGE METAL

|      |           |                                        |          |           |       |                                  |
|------|-----------|----------------------------------------|----------|-----------|-------|----------------------------------|
| C23V | 7 x 7/17" | Pan Framing Head, Fine Thread, Vector® | Phillips | Phosphate | 6/240 | Drywall to Light/Mid Gauge Metal |
|------|-----------|----------------------------------------|----------|-----------|-------|----------------------------------|



### BITS:

CF124- Phillips  
-Compatible with: C23V & C34DZ  
CF124LN- Lox  
-Compatible with: CFP Screws

### ATTACHMENTS:

DeWalt Par Number: SDIM1D  
Makita Part Number: SDIM1M  
Milwaukee Part Number: SDIM1ML1 (Impact driver 2853)  
Milwaukee Part Number: SDIM1ML2 (Impact driver 2953)

### COMPATIBLE WITH:

Makita Impact driver XDT14  
DeWalt Impact driver DCF887  
Milwaukee Impact driver 2953  
Milwaukee Impact driver 2953



# TOOL & BIT APPLICATIONS FOR SUPERDRIVE TOOLS



## SUPERDRIVE ATTACHMENTS



| ITEM NO.       | DESCRIPTION                                                             |                |                |                |                 | SCREW CAPACITY | BIT LENGTH | APPLICATIONS                        |
|----------------|-------------------------------------------------------------------------|----------------|----------------|----------------|-----------------|----------------|------------|-------------------------------------|
| <b>SDN7</b>    | Superdrive N7 Attachment & Drywall Clip, No Coupler                     |                |                |                |                 | 1-2"           | 155-158mm  | Drywall, Sheathing, Siding          |
|                | PHILLIPS: CF155                                                         | LOX 2: CF155L2 | LOX 3: -       | #2 SQ: -       | NOSE: -         |                |            |                                     |
| <b>SDN7D1</b>  | Superdrive N7 Attachment For Rocker/Dewalt Corded Screwgun              |                |                |                |                 | 1-2"           | 155-158mm  | Drywall, Sheathing, Siding          |
|                | PHILLIPS: CF155                                                         | LOX 2: CF155L2 | LOX 3: -       | #2 SQ: -       | NOSE: -         |                |            |                                     |
| <b>SDN7D2B</b> | Superdrive N7 Attachment For Dewalt Cordless Screwgun                   |                |                |                |                 | 1-2"           | 155-158mm  | Drywall, Sheathing, Siding          |
|                | PHILLIPS: CF155                                                         | LOX 2: CF155L2 | LOX 3: -       | #2 SQ: -       | NOSE: -         |                |            |                                     |
| <b>SDN7M1</b>  | Superdrive N7 Attachment For Makita Corded/Cordless Screwguns           |                |                |                |                 | 1-2"           | 155-158mm  | Drywall, Sheathing, Siding          |
|                | PHILLIPS: CF155                                                         | LOX 2: CF155L2 | LOX 3: -       | #2 SQ: -       | NOSE: -         |                |            |                                     |
| <b>SDN7M18</b> | Superdrive N7 Attachment For Milwaukee 2866 M18 FUEL Cordless Screwguns |                |                |                |                 | 1-2"           | 164mm      | Drywall, Sheathing, Siding          |
|                | PHILLIPS: CF164                                                         | LOX 2: -       | LOX 3: -       | #2 SQ: -       | NOSE: -         |                |            |                                     |
| <b>CW55G</b>   | Superdrive 55 Series Attachment w/ Drywall Clip                         |                |                |                |                 | 3/4-2"         | 153mm / 6" | Sheathing, Siding, Drywall          |
|                | PHILLIPS: TCW153                                                        | LOX 2: T2153LN | LOX 3: T3153LN | #2 SQ: -       | NOSE: CWFA01-12 |                |            |                                     |
| <b>CW55F</b>   | Superdrive 55 Series Attachment w/ Feed Track                           |                |                |                |                 | 3/4-2"         | 153mm / 6" | Subfloor, Decking, Framing          |
|                | PHILLIPS: TCW153                                                        | LOX 2: T2153LN | LOX 3: T3153LN | #2 SQ: -       | NOSE: CWFA01-10 |                |            |                                     |
| <b>CW75F</b>   | Superdrive 75 Series Attachment w/ Feed Track                           |                |                |                |                 | 3/4-3"         | 178mm / 7" | Subfloor, Decking, Framing          |
|                | PHILLIPS: TCW178B                                                       | LOX 2: T2178LN | LOX 3: T3178LN | #2 SQ: TCW178Q | NOSE: CWFA01-10 |                |            |                                     |
| <b>SDDW</b>    | Superdrive 80 Series Attachment w/ Feed Track or Drywall Clip           |                |                |                |                 | 3/4-1-1/4"     | 153mm / 6" | Sheathing, Siding, Drywall          |
|                | PHILLIPS: TCW153                                                        | LOX 2: T2153LN | LOX 3: T3153LN | #2 SQ: -       | NOSE: -         |                |            |                                     |
| <b>SDFD</b>    | Superdrive 85 Series Attachment w/ Feed Track                           |                |                |                |                 | 3/4-1-1/4"     | 153mm / 6" | Metal Roof Deck, Stitching, Framing |
|                | PHILLIPS: TCW153                                                        | LOX 2: T2153LN | LOX 3: T3153LN | #2 SQ: -       | NOSE: -         |                |            |                                     |

## SUPERDRIVE BITS



| ITEM NO. | DESCRIPTION                                                    |
|----------|----------------------------------------------------------------|
| TCW153   | Phillips Bit, Tensor Long Life, 153mm Non-Stick, Bronze Finish |
| T2153LN  | LOX 2 Bit, Tensor Long Life, 153mm Non-Stick, Bronze Finish    |
| T3153LN  | LOX 3 Bit, 153mm Non-Stick Fit                                 |
| CF155    | Phillips Bit, 155mm, Reduced Diameter                          |
| CF164    | Phillips Bit, 164mm, Reduced Diameter                          |
| CF155L2  | LOX 2 Bit, 155mm, Reduced Diameter                             |
| CF158    | Phillips Bit, 158mm, Reduced Diameter                          |
| TCW178B  | Phillips Bit, Tensor Long Life, 178mm Non-Stick, Bronze Finish |
| TCW178Q  | Square Drive Bit, Tensor Long Life, 178mm Non-Stick, Bronze    |
| T2178LN  | LOX 2 Bit, Tensor Long Life, 178mm Non-Stick, Bronze Finish    |
| T3178LN  | LOX 3 Bit, Tensor Long Life, 178mm Non-Stick, Bronze Finish    |



# TOOL & BIT APPLICATIONS FOR SUPERDRIVE TOOLS



## SUPERDRIVE COMPLETE TOOLS



| ITEM NO.        | DESCRIPTION                                                     |             |             |         | SCREW CAPACITY | BIT LENGTH  | APPLICATIONS                        |            |          |         |                    |
|-----------------|-----------------------------------------------------------------|-------------|-------------|---------|----------------|-------------|-------------------------------------|------------|----------|---------|--------------------|
| <b>5525IT</b>   | Superdrive 55, Makita FS2701 2500 RPM Screwgun & Feed Track     |             |             |         | 3/4-2"         | 153mm / 6"  | Sheathing, Siding, Fencing, Drywall |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW153                                                          | T2153LN     | T3153LN     | Makita  | FS2701         | CW55F       | CPL6805BV                           | -          | -        | -       | 134461-3; 324140-3 |
| <b>5525ITD</b>  | Superdrive 55, Dewalt 2500 RPM Screwgun w/ Feed Track           |             |             |         | 3/4-2"         | 153mm / 6"  | Sheathing, Siding, Fencing, Drywall |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW153                                                          | T2153LN     | T3153LN     | DeWalt  | DW276          | CW55F       | CPL4063B                            | -          | -        | -       | 134461-3; 324140-3 |
| <b>5525XT</b>   | Superdrive 55, Makita FS2701 2500 RPM Screwgun & Extension/Ft   |             |             |         | 3/4-2"         | 153mm / 6"  | Subfloor, Decking, Framing          |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW153                                                          | T2153LN     | T3153LN     | Makita  | FS2701         | CW55F       | CPL6805BV                           | SDEXT3B    | EXT520   | DHHL03A | 134461-3; 324140-3 |
| <b>5525XTD</b>  | Superdrive 55, Dewalt 2500 Rpm Screwgun W/ Feed Track           |             |             |         | 3/4-2"         | 153mm / 6"  | Sheathing, Siding, Drywall          |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW153                                                          | T2153LN     | T3153LN     | DeWalt  | DW276          | CW55F       | CPL6805BV                           | SDEXT3B    | EXT520   | DHHL03A | 134461-3; 324140-3 |
| <b>5540ITG</b>  | Superdrive 55, Rocker 4000 RPM Screwgun w/ Feed Track           |             |             |         | 3/4-2"         | 153mm / 6"  | Sheathing, Siding, Drywall          |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW153                                                          | T2153LN     | T3153LN     | Grabber | 4063           | CW55F       | CPL4063B                            | SDEXT3B    | EXT520   | DHHL03A | -                  |
| <b>5540DTG</b>  | Superdrive 55, Rocker 4000 Rpm Screwgun W/ Drywall Clip         |             |             |         | 3/4-2"         | 153mm / 6"  | Sheathing, Siding, Drywall          |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW153                                                          | T2153LN     | T3153LN     | Grabber | 4063           | CW55G       | CPL4063B                            | -          | -        | -       | -                  |
| <b>5540XT</b>   | Superdrive 55, Rocker 4000 RPM Screwgun & Extension/Ft          |             |             |         | 3/4-2"         | 153mm / 6"  | Subfloor, Decking, Framing          |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW153                                                          | T2153LN     | T3153LN     | Grabber | 4063           | CW55G       | CPL4063B                            | SDEXT3B    | EXT520   | DHHL03A | -                  |
| <b>7520VXT</b>  | Superdrive 75, Dewalt 2000 RPM Cordless Screwgun w/ Extesion/Ft |             |             |         | 3/4-3"         | 178mm / 7"  | Subfloor, Decking                   |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW178B                                                         | T2178LN     | T3178LN     | DeWalt  | DCF624P2       | CW75F       | -                                   | SDEXT18    | EXT520   | DHHL03A | -                  |
| <b>7525XT</b>   | Superdrive 75, Dewalt 2500 RPM Screwgun w/ Extension/Ft         |             |             |         | 3/4-3"         | 178mm / 7"  | Subfloor, Decking, Roofing          |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW178B                                                         | T2178LN     | T3178LN     | DeWalt  | DW276          | CW75F       | CPL4063B                            | SDEXT3B    | EXT520   | DHHL03A | -                  |
| <b>7540IT</b>   | Superdrive 75, Rocker 4000 RPM Screwgun w/ Feed Track           |             |             |         | 3/4-3"         | 178mm / 7"  | Roofing, Fencing, Decking           |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW178B                                                         | T2178LN     | T3178LN     | Grabber | 4063           | CW75F       | CPL4063B                            | -          | -        | -       | -                  |
| <b>7540XT</b>   | Superdrive 75, Rocker 4000 RPM Screwgun w/ Extension/Ft         |             |             |         | 3/4-3"         | 178mm / 7"  | Subfloor, Decking, Roofing          |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW178B                                                         | T2178LN     | T3178LN     | Grabber | 4063           | CW75F       | CPL4063B                            | SDEXT3B    | EXT520   | DHHL03A | -                  |
| <b>SDDWIT</b>   | Superdrive 80, Rocker 4000 RPM w/ Drywall Clip                  |             |             |         | 3/4-1-1/4"     | 153mm / 6"  | Sheathing, Siding, Drywall          |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW153                                                          | T2153LN     | T3153LN     | Grabber | 4063           | SDDW        | CPL4063B                            | -          | -        | -       | -                  |
| <b>SDFD25IT</b> | Superdrive 85, Makita FS2701 2500 Rpm Screwgun w/ Feed Track    |             |             |         | 3/4-1-1/4"     | 153mm / 6"  | Roofing, Fencing, Framing           |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW153                                                          | T2153LN     | T3153LN     | Makita  | FS2701         | SDFD        | CPL6805BV                           | -          | -        | -       | 134461-3; 324140-3 |
| <b>SDFD25XT</b> | Superdrive 85, Makita FS2701 2500 Rpm Screwgun w/ Feed Track    |             |             |         | 3/4-1-1/4"     | 153mm / 6"  | Roofing, Fencing, Framing           |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW153                                                          | T2153LN     | T3153LN     | Makita  | FS2701         | SDFD        | CPL6805BV                           | SDEXT3B    | EXT520   | DHHL03A | 134461-3; 324140-3 |
| <b>SDFD40XT</b> | Superdrive 85, Rocker 4000 Rpm Screwgun w/ Extension/Ft         |             |             |         | 3/4-1-1/4"     | 153mm / 6"  | Metal Roof Decking, Sticking        |            |          |         |                    |
| COMPONENTS:     | PHILLIPS BITS:                                                  | LOX 2 BITS: | LOX 3 BITS: | BRAND:  | MOTOR:         | ATTACHMENT: | COUPLER:                            | EXTENSION: | BIT ROD: | HANDLE: | CLUTCH PARTS:      |
|                 | TCW153                                                          | T2153LN     | T3153LN     | Grabber | 4063           | SDFD        | CPL4063B                            | SDEXT3B    | EXT520   | DHHL03A | -                  |

