

PRODUCT SUBMITTAL

Submitted to:

Project:

Date of Submittal:

Submitted by, Contact name:

Company:

Address:

Phone:

Email:

Approved

Approved as Noted

Not Approved

Comments:

By:

Date:

List of items from Table A submitted for the project:

--

Product Family - PFC - Self-Piercing Flat Head Coarse Thread

TABLE A

Item Number	Screw Size (#)	Length	Head Style	Head Diameter	TPI	Point Size/Style	Coating	Drive Type	Bulk/Collated Quantity	Special Features
78100Z	8	1-in	Flat	0.309-in	8	Type 17 Point	Clear Zinc	#2 Square	8,000	Underhead Nibs
WL8100YZ	8	1-in	Flat	0.309-in	8	Type 17 Point	Yellow Zinc	#2 LOX	5,000	Underhead Nibs
78118YZ	8	1-1/8-in	Flat	0.309-in	8	Type 17 Point	Yellow Zinc	#2 Square	6,000	Underhead Nibs
78118Z	8	1-1/8-in	Flat	0.309-in	8	Type 17 Point	Clear Zinc	#2 Square	6,000	Underhead Nibs
G6125G	6	1-1/4-in	Flat	0.303-in	10	Type 17 Point	GrabberGard®	T20	8,000	Underhead Nibs, QuickGrab Point
78125BRG	8	1-1/4-in	Flat	0.309-in	8	Type 17 Point	Brown GrabberGard®	#2 Square	6,000	Underhead Nibs
78125GRG	8	1-1/4-in	Flat	0.309-in	8	Type 17 Point	Green GrabberGard®	#2 Square	6,000	Underhead Nibs
78125RG	8	1-1/4-in	Flat	0.309-in	8	Type 17 Point	GrabberGard®	#2 Square	6,000	Underhead Nibs
78125YZ	8	1-1/4-in	Flat	0.309-in	8	Type 17 Point	Yellow Zinc	#2 Square	6,000	Underhead Nibs
78125Z	8	1-1/4-in	Flat	0.309-in	8	Type 17 Point	Clear Zinc	#2 Square	6,000	Underhead Nibs
GTST125	8	1-1/4-in	Flat	0.323-in	9	Type 17 Point	305 Stainless Steel	T20	6,000	Underhead Nibs, QuickGrab Point
G6150G	6	1-1/2-in	Flat	0.303-in	10	Type 17 Point	GrabberGard®	T20	5,000	Underhead Nibs, QuickGrab Point
78150BRG	8	1-1/2-in	Flat	0.309-in	8	Type 17 Point	Brown GrabberGard®	#2 Square	5,000	Underhead Nibs
78150GRG	8	1-1/2-in	Flat	0.309-in	8	Type 17 Point	Green GrabberGard®	#2 Square	5,000	Underhead Nibs
78150RG	8	1-1/2-in	Flat	0.309-in	8	Type 17 Point	GrabberGard®	#2 Square	5,000	Underhead Nibs
78150YZ	8	1-1/2-in	Flat	0.309-in	8	Type 17 Point	Yellow Zinc	#2 Square	5,000	Underhead Nibs
78150Z	8	1-1/2-in	Flat	0.309-in	8	Type 17 Point	Clear Zinc	#2 Square	5,000	Underhead Nibs
GTST150	8	1-1/2-in	Flat	0.323-in	9	Type 17 Point	305 Stainless Steel	T20	5,000	Underhead Nibs, QuickGrab Point
WL8150RG	8	1-1/2-in	Flat	0.309-in	8	Type 17 Point	GrabberGard®	#2 LOX	5,000	Underhead Nibs
WL8150YZ	8	1-1/2-in	Flat	0.309-in	8	Type 17 Point	Yellow Zinc	#2 LOX	5,000	Underhead Nibs
C10158JBWG2	10	1-5/8-in	Flat	0.354-in	8	Sharp	GrabberGard® 2	#2 LOX	1,000	Collated
78175BRG	8	1-3/4-in	Flat	0.309-in	8	Type 17 Point	Brown GrabberGard®	#2 Square	4,000	Underhead Nibs
78175GRG	8	1-3/4-in	Flat	0.309-in	8	Type 17 Point	Green GrabberGard®	#2 Square	4,000	Underhead Nibs
78175RG	8	1-3/4-in	Flat	0.309-in	8	Type 17 Point	GrabberGard®	#2 Square	4,000	Underhead Nibs
78175YZ	8	1-3/4-in	Flat	0.309-in	8	Type 17 Point	Yellow Zinc	#2 Square	4,000	Underhead Nibs
78175Z	8	1-3/4-in	Flat	0.309-in	8	Type 17 Point	Clear Zinc	#2 Square	4,000	Underhead Nibs
C8175FJBW	8	1-3/4-in	Flat	0.344-in	10	Streaker®	Yellow Zinc	#2 LOX	1,000	Collated
C8175L3YZ	8	1-3/4-in	Flat	0.346-in	10	Twinfast®	Yellow Zinc	#3 LOX	1,000	Collated, TwinFast "double" threads for faster installation
G7200G	7	2-in	Flat	0.303-in	9	Type 17 Point	GrabberGard®	T20	3,500	Underhead Nibs, QuickGrab Point
C8200L2M	8	2-in	Flat	0.354-in	8	Type 17 Point	GrabberGard®	#2 LOX	1,000	Collated, Underhead Nibs, QuickGrab Point
78200AG	8	2-in	Flat	0.309-in	8	Type 17 Point	Army Green GrabberGard®	#2 Square	3,000	Underhead Nibs
78200BRG	8	2-in	Flat	0.309-in	8	Type 17 Point	Brown GrabberGard®	#2 Square	3,000	Underhead Nibs
78200GRG	8	2-in	Flat	0.309-in	8	Type 17 Point	Green GrabberGard®	#2 Square	3,000	Underhead Nibs
78200RG	8	2-in	Flat	0.309-in	8	Type 17 Point	GrabberGard®	#2 Square	3,000	Underhead Nibs
78200YZ	8	2-in	Flat	0.309-in	8	Type 17 Point	Yellow Zinc	#2 Square	3,000	Underhead Nibs
78200Z	8	2-in	Flat	0.309-in	8	Type 17 Point	Clear Zinc	#2 Square	3,000	Underhead Nibs
GTST200	8	2-in	Flat	0.347-in	9	Type 17 Point	305 Stainless Steel	T20	3,500	Underhead Nibs, QuickGrab Point
WL8200YZ	8	2-in	Flat	0.309-in	8	Type 17 Point	Yellow Zinc	#2 LOX	3,000	Underhead Nibs
C8200L3YZ	8	2-in	Flat	0.346-in	10	Twinfast®	Yellow Zinc	#3 LOX	1,000	Collated, TwinFast "double" threads for faster installation
C8200SFJBW	8	2-in	Flat	0.344-in	10	Streaker®	Yellow Zinc	#2 LOX	1,000	Collated
G8225G	8	2-1/4-in	Flat	0.318-in	9	Type 17 Point	GrabberGard®	T20	3,000	Underhead Nibs, QuickGrab Point
782508	8	2-1/2-in	Flat	0.309-in	8	Type 17 Point	Phosphate	#2 Square	2,000	Underhead Nibs
782508BRG	8	2-1/2-in	Flat	0.309-in	8	Type 17 Point	Brown GrabberGard®	#2 Square	2,500	Underhead Nibs
782508GRG	8	2-1/2-in	Flat	0.309-in	8	Type 17 Point	Green GrabberGard®	#2 Square	2,500	Underhead Nibs
782508RG	8	2-1/2-in	Flat	0.309-in	8	Type 17 Point	GrabberGard®	#2 Square	2,500	Underhead Nibs
782508YZ	8	2-1/2-in	Flat	0.309-in	8	Type 17 Point	Yellow Zinc	#2 Square	2,500	Underhead Nibs
782508Z	8	2-1/2-in	Flat	0.309-in	8	Type 17 Point	Clear Zinc	#2 Square	2,500	Underhead Nibs
C8250L2M	8	2-1/2-in	Flat	0.339-in	8	Type 17 Point	GrabberGard®	#2 LOX	1,000	Collated, Underhead Nibs, QuickGrab Point
G8250G	8	2-1/2-in	Flat	0.318-in	9	Type 17 Point	GrabberGard®	T20	2,500	Underhead Nibs, QuickGrab Point
78250AG	9	2-1/2-in	Flat	0.337-in	8	Type 17 Point	Army Green GrabberGard®	#2 Square	2,500	Underhead Nibs
78250RG	9	2-1/2-in	Flat	0.337-in	8	Type 17 Point	GrabberGard®	#2 Square	2,500	Underhead Nibs
78250RGT	9	2-1/2-in	Flat	0.337-in	8	Type 17 Point	Tan GrabberGard®	#2 Square	2,500	Underhead Nibs
78250YZ	9	2-1/2-in	Flat	0.337-in	8	Type 17 Point	Yellow Zinc	#2 Square	2,500	Underhead Nibs
78250Z	9	2-1/2-in	Flat	0.337-in	8	Type 17 Point	Clear Zinc	#2 Square	2,500	Underhead Nibs
WL9250RG	9	2-1/2-in	Flat	0.337-in	8	Type 17 Point	GrabberGard®	#2 LOX	2,500	Underhead Nibs
WL9250YZ	9	2-1/2-in	Flat	0.337-in	8	Type 17 Point	Yellow Zinc	#2 LOX	2,500	Underhead Nibs
GTST250	10	2-1/2-in	Flat	0.362-in	8	Type 17 Point	305 Stainless Steel	T25	2,500	Underhead Nibs, QuickGrab Point
C8250L3YZ	8	2-1/2-in	Flat	0.346-in	10	Twinfast®	Yellow Zinc	#3 LOX	1,000	Collated, TwinFast "double" threads for faster installation
C8250SFJBW	8	2-1/2-in	Flat	0.344-in	10	Streaker®	Yellow Zinc	#2 LOX	1,000	Collated
C8300SFJBW	8	3-in	Flat	0.344-in	10	Streaker®	Yellow Zinc	#2 LOX	1,000	Collated
C8300TXG2	8	3-in	Flat	0.323-in	8	Sharp	GrabberGard® 2	#2 LOX	1,000	Collated
783008	8	3-in	Flat	0.309-in	8	Type 17 Point	Phosphate	#2 Square	2,000	Underhead Nibs
783008BRG	8	3-in	Flat	0.309-in	8	Type 17 Point	Brown GrabberGard®	#2 Square	2,000	Underhead Nibs
783008GRG	8	3-in	Flat	0.309-in	8	Type 17 Point	Green GrabberGard®	#2 Square	2,000	Underhead Nibs
783008RG	8	3-in	Flat	0.309-in	8	Type 17 Point	GrabberGard®	#2 Square	2,000	Underhead Nibs
783008YZ	8	3-in	Flat	0.309-in	8	Type 17 Point	Yellow Zinc	#2 Square	2,000	Underhead Nibs
783008Z	8	3-in	Flat	0.309-in	8	Type 17 Point	Clear Zinc	#2 Square	2,000	Underhead Nibs
G8300G	8	3-in	Flat	0.318-in	9	Type 17 Point	GrabberGard®	T20	2,000	Underhead Nibs, QuickGrab Point
78300AG	9	3-in	Flat	0.337-in	8	Type 17 Point	Army Green GrabberGard®	#2 Square	2,000	Underhead Nibs
78300RG	9	3-in	Flat	0.337-in	8	Type 17 Point	GrabberGard®	#2 Square	2,000	Underhead Nibs
78300RGT	9	3-in	Flat	0.337-in	8	Type 17 Point	Tan GrabberGard®	#2 Square	2,000	Underhead Nibs
78300YZ	9	3-in	Flat	0.337-in	8	Type 17 Point	Yellow Zinc	#2 Square	2,000	Underhead Nibs
78300Z	9	3-in	Flat	0.337-in	8	Type 17 Point	Clear Zinc	#2 Square	2,000	Underhead Nibs
G9300G	9	3-in	Flat	0.335-in	8	Type 17 Point	GrabberGard®	T20	2,000	Underhead Nibs, QuickGrab Point
W9300RGB	9	3-in	Flat	0.337-in	8	Type 17 Point	Tan GrabberGard®	#2 LOX	2,000	Underhead Nibs, QuickGrab Point
W9300RGR	9	3-in	Flat	0.337-in	8	Type 17 Point	Red GrabberGard®	#2 LOX	2,000	Underhead Nibs, QuickGrab Point

Grabber screws manufactured in America are available as SPECIAL-ORDER INVENTORY. CONTACT GRABBER FOR CURRENT PRICE AND AVAILABILITY. (Continued on next page)
 For identification purposes, an "A" will added to the end of the item number and "Made in America" will be printed on the label.

Prefixes: C = Collated, X = 1-lb, VB = 5-lb, V = 5-lb, BP = Blister Pack
 Suffixes: B = Bucket, RG or G = GrabberGard®, Z = Clear Zinc, YZ = Yellow Zinc

Product Family - PFC - Self-Piercing Flat Head Coarse Thread

TABLE A - Continued

Item Number	Screw Size (#)	Length	Head Style	Head Diameter	TPI	Point Size/Style	Coating	Drive Type	Bulk/Collated Quantity	Special Features
WL9300RG	9	3-in	Flat	0.337-in	8	Type 17 Point	GrabberGard®	#2 LOX	2,000	Underhead Nibs
WL9300YZ	9	3-in	Flat	0.337-in	8	Type 17 Point	Yellow Zinc	#2 LOX	2,000	Underhead Nibs
C9300L2M	9	3-in	Flat	0.339-in	8	Type 17 Point	GrabberGard®	#2 LOX	1,000	Collated, Underhead Nibs, QuickGrab Point
783001OYZ	10	3-in	Flat	0.363-in	8	Type 17 Point	Yellow Zinc	#2 Square	1,500	Underhead Nibs
GTST300	10	3-in	Flat	0.362-in	8	Type 17 Point	305 Stainless Steel	T25	1,500	Underhead Nibs, QuickGrab Point
C8300L3YZ	8	3-in	Flat	0.346-in	10	Twinfast®	Yellow Zinc	#3 LOX	1,000	Collated, TwinFast "double" threads for faster installation
78350	10	3-1/2-in	Flat	0.363-in	8	Type 17 Point	Phosphate	#2 Square	1,000	Underhead Nibs
78350BRG	10	3-1/2-in	Flat	0.363-in	8	Type 17 Point	Brown GrabberGard®	#2 Square	1,000	Underhead Nibs
78350GRG	10	3-1/2-in	Flat	0.363-in	8	Type 17 Point	Green GrabberGard®	#2 Square	1,000	Underhead Nibs
78350RG	10	3-1/2-in	Flat	0.363-in	8	Type 17 Point	GrabberGard®	#2 Square	1,000	Underhead Nibs
78350YZ	10	3-1/2-in	Flat	0.363-in	8	Type 17 Point	Yellow Zinc	#2 Square	1,000	Underhead Nibs
G10350G	10	3-1/2-in	Flat	0.358-in	8	Type 17 Point	GrabberGard®	T25	1,000	Underhead Nibs, QuickGrab Point
GTST350	10	3-1/2-in	Flat	0.362-in	8	Type 17 Point	305 Stainless Steel	T25	1,500	Underhead Nibs, QuickGrab Point
WL10350YZ	10	3-1/2-in	Flat	0.363-in	8	Type 17 Point	Yellow Zinc	#2 LOX	1,000	Underhead Nibs
78400BRG	10	4-in	Flat	0.363-in	8	Type 17 Point	Brown GrabberGard®	#2 Square	1,000	Underhead Nibs
78400GRG	10	4-in	Flat	0.363-in	8	Type 17 Point	Green GrabberGard®	#2 Square	1,000	Underhead Nibs
78400RG	10	4-in	Flat	0.363-in	8	Type 17 Point	GrabberGard®	#2 Square	1,000	Underhead Nibs
78400YZ	10	4-in	Flat	0.363-in	8	Type 17 Point	Yellow Zinc	#2 Square	1,000	Underhead Nibs
78400Z	10	4-in	Flat	0.363-in	8	Type 17 Point	Clear Zinc	#2 Square	1,000	Underhead Nibs
G10400G	10	4-in	Flat	0.358-in	8	Type 17 Point	GrabberGard®	T25	1,000	Underhead Nibs, QuickGrab Point
GTST400	10	4-in	Flat	0.362-in	8	Type 17 Point	305 Stainless Steel	T25	1,000	Underhead Nibs, QuickGrab Point
WL10400YZ	10	4-in	Flat	0.363-in	8	Type 17 Point	Yellow Zinc	#2 LOX	1,000	Underhead Nibs
78500GRG	10	5-in	Flat	0.363-in	8	Type 17 Point	Green GrabberGard®	#2 Square	1,000	Underhead Nibs
78500YZ	10	5-in	Flat	0.363-in	8	Type 17 Point	Yellow Zinc	#2 Square	1,000	Underhead Nibs
G10500G	10	5-in	Flat	0.358-in	8	Type 17 Point	GrabberGard®	T25	1,000	Underhead Nibs, QuickGrab Point
78600RG	10	6-in	Flat	0.363-in	8	Type 17 Point	GrabberGard®	#2 Square	1,000	Underhead Nibs
78600YZ	10	6-in	Flat	0.363-in	8	Type 17 Point	Yellow Zinc	#2 Square	1,000	Underhead Nibs

Grabber screws manufactured in America are available as SPECIAL-ORDER INVENTORY. CONTACT GRABBER FOR CURRENT PRICE AND AVAILABILITY. For identification purposes, an "A" will be added to the end of the item number and "Made in America" will be printed on the label.

Prefixes: C = Collated, X = 1-lb, VB = 5-lb, V = 5-lb, BP = Blister Pack

Suffixes: B = Bucket, RG or G = GrabberGard®, Z = Clear Zinc, YZ = Yellow Zinc

Description: Self-piercing flat head screw used in wood-to-wood applications.

Directions: Use a standard screwgun with a depth sensitive nose piece. Suggested screwgun specification for optimal performance - Size #6 - #10, up to 4,000 RPM. Overdriving may result in failure of the fastener.

Corrosion: For corrosion resistance results, see Table B.

Certifications: All GRABBER® screw products are manufactured in facilities that are ISO 9001 certified.

PFC - Self-Piercing Flat Head Coarse Thread




TABLE B

CORROSION RESISTANCE TESTING			
Finish	Test	Standard/Protocol	Results (minimum)
(Z) Clear Zinc	Salt Spray	ASTM B117	12 hours, no red rust
(YZ) Yellow Zinc	Salt Spray	ASTM B117	24 hours, no red rust
(RG) GrabberGard	Salt Spray	ASTM B117	1,000 hours, no red rust

NOTE: Salt Spray Testing (SST) results are not intended to predict corrosion resistance in real-world environments. The ASTM B117 standard for SST is recognized industry-wide as an effective tool to compare different metals and different metal coatings in a tightly controlled highly corrosive environment for specific periods of time. For more information about corrosion resistance, see the *Grabber Guide to Corrosion Resistance for Fasteners*.

Grabber's approved mills keep tight control over all production standards and processes. Grabber's mills are ISO 9001 ensuring Grabber fasteners meet or exceed the highest industry standards.

TRADEMARKS:

The following trademarks used herein are owned by Grabber Construction Products, Inc.:

- GRABBER®
- GrabberGard®
- LOX®
- TwinFast®
- QuickGrab®

NOTICE:

We shall not be liable for incidental and consequential damages, directly or indirectly sustained, nor for any loss caused by application of these goods not in accordance with current printed instruction or for other than the intended use. Our Liability is expressly limited to replacement of defective goods. Any claim shall be deemed waived unless made in writing to us within thirty (30) days of the date it was or reasonably should have been discovered.